

VZ-C6 Visualizer System



Driving the Creation of Knowledge

VZ-C6 Ceiling Visualizer System

WolfVision is a worldwide provider of products and services to leading universities, businesses, schools, and other organizations. An acknowledged 'technology leader' in the Visualizer and presentation solutions market, WolfVision is the company that takes the lead, setting standards worldwide for innovative, reliable, user-friendly, high performance presentation solutions.



The ceiling-mounted VZ-C6 ensures that nothing obstructs the view between the presenter and the audience during a presentation. It comes with a native 1080p HD camera, Synchronized Lightfield, and multimedia HD recording functionality.



Our extensive knowledge and expertise across all application sectors enables us to offer comprehensive consultative guidance on customized combinations of Visualizer hardware, software, and accessories, which enhance communication, collaboration, and knowledge sharing across all environments. As part of each individual $\sqrt{Solution}$ we offer not only pre-sales advice, but also post-sales support, training and service, ensuring that you receive maximum benefit from your investment.

Driving the Creation of Knowledge.







When you've got something to say, we believe it is important that getting your message across and making an impact should be as easy as possible.

Our aim is to help you to explain it better, to give you the freedom to share your knowledge and collaborate with others - however you want, and whenever you want, when your audience is in the same room or on the other side of the world.

Because knowledge matters to all of us.






21

High Performance Imaging

WolfVision Visualizers are well-known for their unrivalled imaging quality, which is due to the perfect combination of high quality components and remarkable expertise. Our systems deliver high resolution throughout the entire picture, true-to-life colors, and consistently high frame rates to ensure smoothness of motion. They have fast and accurate autofocus and zooming, giving high quality dependable results every time! High end lenses provide distortion-free images, and high tech lighting systems deliver smooth and consistent lighting without distracting reflections or hot spots.

WolfVision's state-of-the-art YSOP1 image processing engine enables the fast and efficient processing of high volumes of data ensuring the consistent real-time display of impressive high definition pictures with unsurpassed levels of accuracy and detail.



Unique Features



High Resolution Camera

A high definition 1-CMOS camera with 30 frames per second, sRGB color precision and 1080p HD native image format gives 980 lines of visible resolution in every part of the picture.

Easy to Use

For basic operation, users only need to use the zoom keys on the remote control as all other contols such as focus, brightness, etc., are adjusted automatically.

Large Zoom Range

An impressive zoom range of 48x (12x optical and 4x digital) allows for zooming in very closely as well as picking up very large objects when required.

100% Reflection-Free

The advanced light system ensures that no light from the Visualizer is reflected back into the camera. The entire working surface is always 100% reflection-free.

High Depth of Focus

A wide angle lens with a very high depth of focus ensures that even at high magnification, images are always sharp from top to bottom.





Recording Made Easy

HD Video Recording

The VZ-C6 Ceiling Visualizer system features onboard recording functionality that allows entire presentations and lectures to be captured including the audio. It's the quickest and easiest solution for in-house production of training videos or lecture capture. The VZ-C6 is an impressive 'all-in-one HD recording solution'.

The easy-to-use interface requires no advanced technical knowledge, and by using the pause button, multiple segments of a presentation can be recorded and saved as a single file, eliminating the need for subsequent editing and time-consuming post-production. A line level input is provided for situations where audio capture is required.



Creating Unique Multimedia Presentations

The recording functionality of the VZ-C6 is not limited to the Visualizer's own camera. External content such as PowerPoint, digital images, webpages, PDF's, etc. from a PC or tablet connected to one of the Visualizer's HDMI In ports can be easily recorded together with voiceover audio in 720p HD resolution with a frame rate of up to 30 fps.



Flexible Memory Options

Recorded videos and pictures can be saved to the 8GB Visualizer system internal memory which has enough capacity to store thousands of images, or an average of 10 hours of video footage (depending on the content). Alternatively USB sticks or external hard drives can also be used to provide additional storage space if required.



User-Friendly Operation

Intuitive Positioning -Synchronized Lightfield

A light projector inside the VZ-C6 projects a lightfield the same size as the pick-up area of the built-in camera onto the working surface. The lens of the light projector and the camera are synchronized so that when zooming in and out, the size of this lightfield changes accordingly. The illuminated part of the working surface is always identical to the pick-up area of the camera. So a user always knows exactly where to place objects or documents.



Perfect Illumination / Adjustment-Free Lighting

Due to the special light system of the VZ-C6, every part of the recorded picture is always perfectly illuminated. Hollow objects or complex 3-dimensional objects

are always completely illuminated - even on the inside. As a result, there is never any need to adjust the light.







Not illuminated on the inside

Shadow-Free Images

As the camera and the light projector are situated side by side inside the VZ-C6 and follow the same path, shadows are almost completely eliminated. During a presentation, it is often neces-

sary to write on a document on the working surface or to point to a detail with a finger or a pencil. There are practically no shadows created, that might otherwise cover up important details.





With shadows



Shadow-free

Innovative Sharing Options



Efficient Knowledge Transfer via Streaming

The VZ-C6 or connected WolfVision vSolution Link software can stream video and audio to computers, tablets or smartphones on the internal network or the internet using either H.264, Motion JPEG, or RTP Motion JPEG modes. An external device receiving the Visualizer's stream can also be used as a larger control monitor.



Quick and Convenient Distribution

WolfVision offers several possibilities for taking snapshots with the VZ-C6 Visualizer system, and emailing or printing them using our software components. This facilitates quick and easy distribution of materials during a presentation when required.



Easy Cloud Storage / FTP Upload

vSolution Connect software for iPad facilitates uploading and downloading of material to and from Dropbox. When using vSolution Connect during a presentation, content stored in Dropbox is always easily available. Adjustable Visualizer settings also enable videos and pictures to be either automatically or manually uploaded directly from the VZ-C6 to an FTP server if required.



Flexible Network Integration

Wired or Wireless Network Connection

For maximum stability and reliability, VZ-C6 Visualizers can be connected to existing wired LAN infrastructure using encrypted security. Ethernet functionality of the Visualizer can be restricted and access can be password protected. For quick and easy installation, the VZ-C6 can also be integrated into existing wireless LAN infrastructure using encrypted security.

Wireless Encryption

The VZ-C6 Visualizer supports WEP, WPA and WPA2 wireless encryption. This allows for straightforward integration into the enterprise level IT networks commonly found in universities and other organizations, and ensures that no compromises in network security are required.

Single User Authentication

When using a smartphone or iPad with the Visualizer, Single User Authentication ensures a quick and easy wireless connection between device and Visualizer, and prevents any third party from interrupting the connection during a presentation.



Wireless Connectivity (Access Point)

The VZ-C6 can also be configured to operate using an encrypted ad-hoc wireless network. This 'standalone' option allows for the direct wireless connection of smartphone, tablet, and PC devices, and means that full bandwidth is available for Visualizer use.

Bring Your Own Device

Solution Connect for tablets

Sync your WolfVision Visualizer with vSolution Connect, our powerful app for iOS, and Android tablets. Using this multimedia control dashboard enables all media types to be integrated and controlled using a single device. Content materials can easily be prepared in advance and added seamlessly into presentations when required.

The app also allows entire presentations including any external content to be recorded, and saved to the tablet memory. A Live Image Preview shows exactly what the audience sees on-screen at all times, and wireless connectivity allows presentations or lectures to be delivered from anywhere in the room.

The annotation feature is ideal for making notes, sketching, and highlighting documents, charts, and pictures. A dedicated whiteboard function also provides a separate space for making and displaying notes on-screen during a presentation.





Transforming Presentations

Solution Control for Smartphones

The vSolution Control App enables WolfVision Visualizers to connect to an iPhone, Windows 8, Windows Phone 8 or Android device via WLAN. This intuitive and easy to use app allows presenters to use the device keypad and Live Image Preview to control a presentation or lecture wirelessly whilst moving freely around a room.



Solution Link for PC and Mac

vSolution Link allows a user to connect a computer directly to a Visualizer. This software allows for saving, printing and emailing of images, recording of videos, adding annotations and video streaming. It also provides useful tools for automatically applying Visualizer firmware updates, allowing new features and technical improvements to be added at no cost!



(•	
	MAIN			
	MEM	LIVE	EXT	E
A	A A چ	AF ¥ P1	^A A	
	۵ «	Û		
1 det	1			

Fast Multimedia Source Switching	\checkmark	\checkmark	\checkmark
Visualizer Remote Control	\checkmark	\checkmark	\checkmark
Live Image preview	\checkmark	\checkmark	\checkmark
Image Snapshot	\checkmark	\checkmark	\checkmark
Video Recording	X	\checkmark	\checkmark
Image Annotation	X	\checkmark	\checkmark
Live Web Streaming	X	X	\checkmark
Access to Web-based Material	X	\checkmark	\checkmark
Display Content From Device	X	\checkmark	\checkmark
Multiple Source Preview	X	\checkmark	X



VZ-C6
1-CMOS 1/3" Progressive Scan
30 frames (in all resolutions)
1920x1080 (=2,073,600)
2,073,600
62,208,000
very good colors (sRGB color precision)
1080p HD (1920x1080)
UXGA (1600x1200), SXGA (1280x1024), XGA (1024x768), SVGA (800x600)
WUXGA (1920x1200), WXGA (1280x800), 720p HD (1280x720)
980 lines
automatic and manual
automatic and manual
yes (continuously working, high speed)
yes
Ves
Ves
Ves
USB, LAN, USB stick
Wide-angle zoom lens, 48x zoom (12x optical + 4x digital)
no limit
depending on installation height (904 – 1748mm / 35.6" – 68.8")
depending on installation height (89 – 138mm / 3.5" – 5.4")
larger than 20mm (0.8")
larger than 250mm (9.7")
yes
yes
Maintenance free high-brightness LED light system (high light output, low power consumption), lamp lifetime: 30,000 hours
included for 32- and 64-bit Windows + Macintosh, Twain/WIA compatible, with video capture driver
Ves
Ves
3
Ves
whole working surface
with optional working plate
with optional lightbox
optional external lightboxes (large models like WolfVision's LB-38 can be used)
yes, 2x HDMI (DVI or Display Port via optional adaptor or cable) and WLAN
yes ves
8GB internal memory + additional storage on USB stick or external hard drive
yes
2x HDMI In, 1x HDMI Out, RGB, IP-Addressable LAN Port 10/100 Mbps, USB Device Port, 2x USB Hos Ports, Audio Line in, Audio Line out, IR-Extern
HDMI, (DVI output via optional HDMI-DVI cable or adaptor), RGB
H.264, Motion JPEG, RTP Motion JPEG including audio
yes
yes (720p HD, up to 30 frames per second, AVI container, H.264 codec, .AVI file extension)
yes (Line In, Line Out)
no (if required external LAN to RS232 adaptors can be used)
yes (via LAN and USB)
478mm x 125mm x 178mm (18.8" x 4.9" x 7.0")
4.8kg (10.6lbs)
yes (optional external receiver with 10m cable and status LED)
yet (spectra choma recent) man rem case and catalo LED
included
included Internal power supply, multi range 100-240V, power consumption: 50W, adjustable standby power consumption

All units made in Austria, Europe.

Design and specifications subject to change!

Your WolfVision Partner:

Head Office: WolfVision GmbH 6833 Klaus / Austria Tel. +43 5523 52250 wolfvision@wolfvision.com

UK Sales Office WolfVision UK Ltd. Tel. +44 1628 509 067 wolfvision.uk@wolfvision.com Japan Sales Office WolfVision Co. Ltd. Tel. +81 3 6233 9465 wolfvision.japan@wolfvision.com

Canada Sales Office WolfVision Canada, Inc. Tel. +1 613 741 9898 wolfvision.canada@wolfvision.com



USA Sales Office WolfVision, Inc. Tel. +1 770 931 6802 sales@wolfvision.us

Asia Sales Office WolfVision Pte. Ltd. (Singapore) Tel. +65 6636 1268 wolfvision.asia@wolfvision.net



Middle East Sales Office WolfVision Middle East (Dubai) Tel. +971 354 2233 middle.east@wolfvision.net

Germany Sales Office WolfVision GmbH Tel. 0800 9828 787 wolfvision.deutschland@wolfvision.com