

TRU TOUCH *X* Series 4K

The Next Generation of Collaboration

SIMPLY SMARTER COLLABORATION

The **4K TRU TOUCH X series** features InGlass™ technology for superior writing experience and combines advanced technology with elegance.



Newline-Interactive Collaboration at your fingertips

COLLABORATION INTERACTIVE PRESENTATION

TRU TOUCH X series debuts with evolutionary innovation leading the way to a brand new user experience like you never expected.

COMMUNICATE BETTER, COLLABORATE EASIER

Featuring Montage UC software for easy collaboration anytime, anywhere.




SUPERIOR WRITING EXPERIENCE

Advanced InGlass™ technology for responsive touch digital whiteboard with seamless writing experience.

CLEAR AND ROBUST IMAGE

X series makes use of the latest optical bonding technology which reduces reflections resulting in improved contrast and reduced parallax. With 4K UHD resolution, the X9 delivers clear and robust images that give you the best video conferencing experience.



POWERED BY



Communication connect anything



Quick access annotation & intuitive interface



Wireless
Collaboration



Connect with
Any Device



Remote PC Control



Video / Voice
Communication



All New Interface



Multi-OS



Hand-Writing
Recognition



Gadgets


FEATURES

Optical Bonding makes the touch panel more sturdy and protects the display from dust and moisture.
All-in-one system requires no additional equipment such as camera microphone nor speakers.
With OPS slot, users can install any of favorite Windows applications without limit.



USER INTERFACE

Efficient meetings on the go with easily accessible



Scheduling function for meeting room schedules.



Become an expert with an intuitive interface.



Enhance communication with discussion board/annotation.



One click share by Email or USB flash.

PRODUCT SPECIFICATIONS

Model	X6		X8		X9	
Display						
Backlight	LED					
Display Area	1428.48 x 803.52 mm		1650.24 x 928.26 mm		1897 x 1068 mm	
Active Screen Size	65"		75"		86"	
Display Ratio	16:9					
Resolution	3840 x 2160 Pixels					
Display Colors	8-bit		8-bit		10-bit	
Brightness	≥320nit		≥320nit		370nit	
Contrast	4000:1					
Response Time	8ms					
Viewing Angle	178°					
Life Time	30000Hrs(Min.)					
Speaker						
Speaker position	Forward					
Rated Impedance	8Ω					
Frequency Response	20-18K Hz					
Output S.P.L.	≤13W					
Max.Power Output	2 x15W					
Microphone						
Sensitivity	-38dBV±3dB					
Frequency Response	65Hz - 12.5KHz					
Polar Patterns	Omni-directional					
THD +N (1kHz @ +4dBu)	<0.05%					
Pickup Range	8 meters					
Quantity	4 (1 Array)					
Camera						
Position	Top x1 & Bottom x1 (Only one can use in the same time)					
Sensor	2M Pixels					
Lens	86°					
Video Resolution	1920 x 1080@30fps (Max)					
Frame Rate	30fps/60fps					
Electrical						
Power Consumption	Maximum ≤220W Standby Mode ≤0.5W		Maximum ≤300W Standby Mode ≤0.5W		Maximum ≤450W Standby Mode ≤0.5W	
Working Voltage	AC 100-240V, 50/60Hz					
Touch						
Touch Surface	Optical Bonding Anti-Glare & Anti-Fingerprint Glass					
Transparency	88%					
Surface Hardness	7H					
Touch Technology	InGlass™					
Touch Points	20 Points Touch in Windows/ 3 Points Touch in Embedded System					
Writing Tools	Stylus or Finger					
Communication Interface	USB-A					
Transportation/Storage						
Storage Temperature/Humidity	-10°C - 50°C/10% - 90%					
Working Temperature/Humidity	0°C - 40°C/10% - 90%					
Mounting (optional)	Wall-mounted / Floor Stand					
Outline Dimension	1568x1045x88mm		1792x1170x102mm		2039x1315x101mm	
Net Weight	45 kg		55 kg		71.6 kg	
Ports						
Front Interface Inputs	HDMI 1.4 (4K@30Hz) x1, USB(Touch) x1, USB (Dynamic) x2, Microphone In x1					
AV Inputs	HDMI (4K@60Hz x2, 4K@30Hz x1), DP (4K@60Hz) x1, USB (Touch) x4					
AV Outputs	HDMI Out (4K@60Hz) x1, Line Out x1, SPDIF out					
Other	USB2.0 x2, RS232 x1, RJ45 x2, USB3.0 x1, OPS Slots (4K@60Hz),DC 5V-2A out					
Speciality						
Build in Wi-Fi	2.4G/5G					



Newline Interactive Inc.
101 East Park Blvd. Suite 807 Plano,
TX 75074, USA
TEL: +1 888 233 0868

Want to buy:
info@newline-interactive.com
Become our partner:
partner@newline-interactive.com

Europe office
Ronda de Poniente, N°2, 1ª planta,
Oficina 1B, 28760, Tres Cantos,
Madrid, Spain
TEL: +34 911169178
Want to buy:
info_eu@newline-interactive.com
Become our partner:
partner_eu@newline-interactive.com

Asia Pacific Office
4F-3, No.76 Sec.2, Jiafeng S. Rd,
Zhubei City, Hsinchu Country,
30272, Taiwan
TEL: +886 35504768
Want to buy:
info_ap@newline-interactive.com
Become our partner:
partner_ap@newline-interactive.com

India office
Room No. 203, No. 37, TTK Road,
Alwarpet, Chennai,
Tamil Nadu, India, 600018
TEL: +91 4446945513
Want to buy:
info.in@newline-interactive.com
Become our partner:
partner.in@newline-interactive.com