

PRICE LIST

BARIX

ambertech.com.au



DISTRIBUTED IN AUSTRALIA BY AMBER TECHNOLOGY
1800 251 367 | sales@ambertech.com.au

Product Code

Description

UOM

RRP Ex

RRP Inc

BARIX BARIONET


[BX-BAR20039014](#)

BAR20039014 Barionet 100 programmable I/O device server with web server
 ■ 2 relay outputs, 4 analogue inputs, 4 digital inputs and 4 digital outputs ■ RS232 and RS485

EACH

\$777.27

\$855.00


[BX-BAR20049044](#)

BAR20049044 Barionet X8 I/O to RS-485 Modbus converter 8 input to 8 output

EACH

\$227.27

\$250.00


[BX-BAR20059048](#)

BAR20059048 Barionet IO12 I/O control unit 12 input to 12 output

EACH

\$745.45

\$820.00


[BX-BAR20089091](#)

BAR20089091 Barionet 50 programmable I/O device server with web server
 ■ 4 relay outputs and 4 contact closure inputs ■ RS232 and RS485

EACH

\$618.18

\$680.00


[BX-BAR20189257](#)

BAR20189257 Barionet 400 programmable I/O device server with web server
 ■ 4 relay outputs and 4 digital inputs ■ 10/100 Ethernet port ■ programmable via C++, Lua or Python script

EACH

\$650.00

\$715.00


[BX-BAR20229371](#)

BAR20229371 Barionet M44 programmable Linux I/O Device Server
 ■ 4 relay outputs and 4 analogue/digital inputs ■ 10/100 Ethernet port ■ RS232 interface ■ USB host interface ■ programmable via C++, Lua or Python script

EACH

\$681.82

\$750.00


[BX-BAR20239425](#)

BAR20239425 Barionet UX8 USB connected and powered I/O Extension 8 input to 8 output
 ■ Suits IPAM based Barionet devices ■ Connects automatically to barionet M series devices ■ USB powered and connected

EACH

\$490.91

\$540.00

BARIX EXSTREAMER


[BX-BAR20069056](#)

BAR20069056 Exstreamer 100 Network audio decoder/streamer
 ■ AACplus, MP3, Ogg Vorbis, G.711, PCM Decoding ■ IP Streaming via HTTP, TCP, UDP, RTP, Multicast ■ Stereo Line Level Output ■ USB memory ■ RS-232 Serial Port ■ Supply Voltage 9-30 VDC

EACH

\$690.91

\$760.00


[BX-BAR20089087](#)

BAR20089087 Exstreamer 110 Network audio decoder/streamer USB, relay and display
 ■ AACplus, MP3, Ogg Vorbis, G.711, PCM Decoding ■ IP Streaming via HTTP, TCP, UDP, RTP, Multicast ■ Stereo Line Level Output ■ USB memory ■ Built in display and IR receiver ■ RS-232 2 Serial Port ■ Supply Voltage 9-30VDC

EACH

\$736.36

\$810.00


[BX-BAR20109096](#)

BAR20109096 Exstreamer 500 Network audio encoder/decoder
 ■ Multiprotocol IP Audio de-/encoder with I/O ■ Balanced audio ■ Support of Internet Radio and VoIP (SIP, RTP) codecs and protocols ■ The ideal choice for broadcast, professional and VoIP applications.

EACH

\$1854.55

\$2040.00


[BX-BAR20109103](#)

BAR20109103 Exstreamer 120 Network audio decoder/streamer SD card, relay and display
 ■ AACplus, MP3, Ogg Vorbis, G.711, PCM Decoding ■ IP Streaming via HTTP, TCP, UDP, RTP, Multicast ■ Stereo Line Level Output ■ microSD card memory ■ Built in display and IR receiver ■ RS-232 Serial Port ■ Supply Voltage 9-30VDC

EACH

\$736.36

\$810.00


[BX-BAR20119113](#)

BAR20119113 Exstreamer 205 Network audio decoder/streamer 2x 25W output, local storage
 ■ AACplus, MP3, Ogg Vorbis, G.711 ■ PCM Decoding ■ IP Streaming via TCP, UDP, RTP, Multicast ■ Amplified Output 2x25W 8Ohm ■ Stereo headphone mini jack ■ Digital Optical Out (S/PDIF) ■ RS-232 Serial Port ■ microSD Flash Memory Interface ■ IR Interface ■ Audio line-in ■ Supply Voltage 24 VDC

EACH

\$1054.55

\$1160.00


[BX-BAR20159183](#)

BAR20159183 Soundscape IP network audio decoder microSD card, display

EACH

\$695.45

\$765.00


[BX-BAR20179224](#)

BAR20179224 Retail Player S400 Streaming decoder IP Former hardware
 ■ Cloud management portal ■ 3failover playback layers and Store & Play ■ 3.5mm TRS stereo line level output ■ 10/100 Mbps ethernet interface ■ 1x status led ■ 2x EXT connections to support external USB drives ■ Web interface for local configuration ■ Secure protocol transmission using TLS v1.2 ■ Ships with 32 GB of local storage ■ 5VDC powered

EACH

\$527.27

\$580.00

	Product Code	Description	UOM	RRP Ex	RRP Inc
	BX-BAR20199260	BAR20199260 SIP Opus M400 Stereo Opus encoder/decoder ■ PoE powered bi-directional mono Opus codec ■ SIP link negotiation ■ Analog and USB audio I/O ■ Mic input and Loudspeaker output ■ G.711 and G.722 support	EACH	\$850.00	\$935.00
	BX-BAR20199266	BAR20199266 SIP Opus MA400 Mono bi-directional Opus encoder/decoder PoE ■ Stereo Opus encoding and decoding ■ SIP link negotiation Analog and USB audio I/O ■ G.711and G.722 support	EACH	\$804.55	\$885.00
	BX-BAR20199284	BAR20199284 Retail Player SP400 Streaming decoder IP Former hardware PoE ■ 6W output at 4 ohm ■ Cloud management portal ■ 3 failoverplayback layers and Store & Play ■ 3.5mm TRS stereo line level output ■ 10/100 Mbps ethernet interface ■ 1x status led ■ 2x EXT connections to supportexternal USB drives ■ Web interface for local configuration ■ Secure protocol transmission using TLS v1.2 ■ Ships with 32 GB of local storage ■ PoE powered	EACH	\$513.64	\$565.00
	BX-BAR20209294	BAR20209294 Exstreamer M400 Streaming decoder SynApps RS232, stereo RCA output ■ Stereo Line Out on RCA Connectors ■ Singlewire certified ■Multi-level message priority ■ AACplus, MP3, G.711, G.722 over RTP ■ SIP VoIP endpoint support ■ Storage of local audiofiles for triggered payout	EACH	\$609.09	\$670.00
	BX-BAR20209298	BAR20209298 Exstreamer M400 Streaming decoder InformaCast RS232, stereo RCA output ■ Stereo Line Out on RCA Connectors ■ Singlewire certified ■Multi-level message priority ■ AACplus, MP3, G.711, G.722 over RTP ■ SIP VoIP endpoint support ■ Storage of local audiofiles for triggered payout	EACH	\$709.09	\$780.00
	BX-BAR20209299	IP Former TPA400 Flex Package SynApps only BAR20209299 ■ 6.5W RMS @ 4 Ohm Speaker Output ■ Plenum Rated per UL Standard 2043 ■ IEEE 802.3af PoE ■Syn-App certified Singlewirecertified ■ Multi-level message priority ■ AACplus, MP3, G.7 11, G.722 over RTP ■ SIP VoIPendpoint support ■ SynApps only	EACH	\$554.55	\$610.00
	BX-BAR20209301	IP FORMER TPA400 INFORMACAST & SYNAPPS BAR20209301 ■ 6.5W RMS @ 4 Ohm Speaker Output ■ Plenum Rated per UL Standard 2043 ■ IEEE 802.3af PoE ■Syn-App certified Singlewirecertified ■ Multi-level message priority ■ AACplus, MP3, G.7 11, G.722 over RTP ■ SIP VoIPendpoint support ■ InformaCastenabled	EACH	\$659.09	\$725.00
	BX-BAR20209314	BAR20209314 Retail Player TPA400 Streaming decoder IP Former hardware PoE ■ Cloud management portal ■ 3failover playback layers and Store & Play ■ 3.5mm TRS stereo line level output ■ 10/100 Mbps ethernet interface ■ 1x status led ■ 2x EXT connections to support external USB drives ■ Web interface for local configuration ■ Secure protocol transmission using TLS v1.2 ■ Ships with 32 GB of local storage ■ PoE powered	EACH	\$554.55	\$610.00
	BX-BAR20209317	BAR20209317 Exstreamer MPA400 Streaming decoder SynApps 40W at 8ohm PoE ■ Up to 40W RMS @ 4Ohm Speaker Output ■ PoE IEEE 802.3af / 8 02.3at / 802.3bt type 1 and type 2 or external Power Supply 24VDC, 50W max. ■ Automatic Amplifier Setting according to input voltage and impedance detected ■ Singlewire certified ■Multi-layer source priority management ■ SIP Client with SI PS, SRTP support ■ REST API tointerface with 3rd party apps. ■ SynApps only	EACH	\$1209.09	\$1330.00
	BX-BAR20209317PS	BAR20209317PS Exstreamer MPA400 includes 24VDC power supply	EACH	\$1272.73	\$1400.00
	BX-BAR20209321	BAR20209321 Retail Player M400 Streaming decoder RS232 and RCA output ■ Cloud management portal ■ 3failover playback layers and Store & Play ■ Stereo line level audio output ■ 2x status led 2x EXT connections to supportexternal USB drives ■ Headphone output RS232 serial port ■ Web interface for local configuration ■ Secure protocol transmission using TLS v1.2 ■ Shipswith 32 GB of local storage available	EACH	\$600.00	\$660.00
	BX-BAR20209325	BAR20209325 Exstreamer MPA400 Streaming decoder InformaCast 40W at 8ohm PoE ■ Up to 40W RMS @ 4Ohm Speaker Output ■ PoE IEEE 802.3af / 8 02.3at / 802.3bt type 1 and type 2 or external Power Supply 24VDC, 50W max. ■ Automatic Amplifier Setting according to input voltage and impedance detected ■ Singlewire certified ■Multi-layer source priority management ■ SIP Client with SI PS, SRTP support ■ REST API tointerface with 3rd party apps. ■ InformaCast enabled	EACH	\$1222.73	\$1345.00
	BX-BAR20209325PS	BAR20209325PS Exstreamer MPA400 InformaCast includes supply 24VDC power	EACH	\$1286.36	\$1415.00
	BX-BAR20239401	BAR20239401 IP Former TPA400 Streaming decoder Dante 6W at 4ohm PoE ■ 6.5W RMS @ 4 Ohm Speaker Output ■ Plenum Rated per UL Standard 2043 ■ IEEE 802.3af PoE ■Syn-App certified Singlewirecertified ■ Multi-level message priority ■ AACplus, MP3, G.7 11, G.722 over RTP ■ SIP VoIPendpoint support ■ Dante enabled	EACH	\$609.09	\$670.00

	Product Code	Description	UOM	RRP Ex	RRP Inc
	BX-BAR20239402	BAR20239402 IP Former TPA400 Streaming decoder Dante and InformaCast 6W at 8ohm PoE ■ 6.5W RMS @ 4 Ohm Speaker Output ■ Plenum Rated per UL Standard 2043 ■ IEEE 802.3af PoE ■ Syn-App certified Singlewirecertified ■ Multi-level message priority ■ AACplus, MP3, G.7 11, G.722 over RTP ■ SIP VoIPendpoint support ■ Dante and InformaCast enabled	EACH	\$713.64	\$785.00
	BX-BAR20239406	BAR20239406 Exstreamer M400 Streaming decoder Dante RS232, stereo RCA output ■ Stereo Line Out on RCA Connectors ■ Singlewire certified ■ Multi-level message priority ■ AACplus, MP3, G.711, G.722 over RTP ■ SIP VoIP endpoint support ■ Storage of local audiofiles for triggered payout	EACH	\$672.73	\$740.00
	BX-BAR20239410	BAR20239410 Exstreamer M400 Streaming decoder Dante and Informacast, RS232, RCA output ■ Stereo Line Out on RCA Connectors ■ Singlewire certified ■ Multi-level message priority ■ AACplus, MP3, G.711, G.722 over RTP ■ SIP VoIP endpoint support ■ Storage of local audiofiles for triggered payout	EACH	\$763.64	\$840.00
	BX-BAR20239411	BAR20239411 Exstreamer MPA400 Streaming decoder Dante 40W at 8ohm PoE ■ Up to 40W RMS @ 4Ohm Speaker Output ■ PoE IEEE 802.3af / 8 02.3at / 802.3bt type 1 and type 2 or external Power Supply 24VDC, 50W max. ■ Automatic Amplifier Setting according to input voltage and impedance detected ■ Singlewire certified ■ Multi-layer source priority management ■ SIP Client with SI PS, SRTP support ■ REST API tointerface with 3rd party apps. ■ Dante enabled	EACH	\$1259.09	\$1385.00
	BX-BAR20239411PS	BAR20239411PS Exstreamer MPA400 DANTE Package Pwr Supply Included	EACH	\$1322.73	\$1455.00
	BX-BAR20239412	BAR20239412 Exstreamer MPA400 Streaming decoder Dante and InformaCast 40W at 8ohm PoE ■ Up to 40W RMS @ 4Ohm Speaker Output ■ PoE IEEE 802.3af / 8 02.3at / 802.3bt type 1 and type 2 or external Power Supply 24VDC, 50W max. ■ Automatic Amplifier Setting according to input voltage and impedance detected ■ Singlewire certified ■ Multi-layer source priority management ■ SIP Client with SI PS, SRTP support ■ REST API tointerface with 3rd party apps. ■ Dante and InformaCast enabled	EACH	\$1359.09	\$1495.00
	BX-BAR20239412PS	Exstreamer MPA400 POE Dante Package with Informacast. Pwr Supply Included	EACH	\$1422.73	\$1565.00
	BX-BAR20239418	BAR20239418 Exstreamer MR400 Streaming decoder RS232 and RCA output, 1 relay output ■ 3.5mm Line Out ■ 8TL (Bridge Tied Load) 1W on 8 ohm audioout ■ NO/NC relay output (30V 0.5A) ■ Low consumption powered with 24VDC ■ Singlewire certified Multi-level message priority ■ AACplus, MP3, G.711, G.722 over RTP ■ SIP VoIP endpoint support ■ Storage of localaudio files for triggered payout	EACH	\$718.18	\$790.00
BARIX ANNUNCIOM					
	BX-BAR20069064	Barix Annunicom 100 BAR20069064 Barix ■ Audio over IP device designed to serve as a gateway between IP Paging, VoIP and Intercomsystems and traditional microphone/speakers or amplifiers ■ Supports music (MP3) as wellas voice codecs (G.711, G.722*) and a large number of protocols including Shoutcast, SIP etc ■ Can be used for both background music as well as VoIP applications. ■ 2W output at 8ohm	EACH	\$977.27	\$1075.00
	BX-BAR20089090	Barix Annunicom 200 With Poe BAR20089090 Barix ■ Audio over IP device designed to serve as a gateway between IP Paging, VoIP and Intercomsystems and traditional microphone/speakers or amplifiers ■ Supports music (MP3) as wellas voice codecs (G.711, G.722*) and a large number of protocols including Shoutcast, SIP etc ■ Can be used for both background music as well as VoIP applications. ■ 8W output at 8ohm	EACH	\$1045.45	\$1150.00
	BX-BAR20129117	BAR20129117 Annunicom microphone for PS1	EACH	\$145.45	\$160.00
	BX-BAR20129118	BAR20129118 Annunicom PS1 IP paging station ■ IP Streaming via TCP, UDP, R TP, Multicast ■ 2 Push to Talkbuttons ■ Built in microphoneor optional gooseneck microphone ■ Built in speaker	EACH	\$1772.73	\$1950.00
	BX-BAR20139136	BAR20139136 Annunicom 200 RAVA. Crestron enabled touch screens	EACH	\$836.36	\$920.00
	BX-BAR2019330	BAR2019330 Annunicom MPI400 network audio encoder/decoder with SynApps ■ Audio over IP device gatewaybetween IP Paging, VoIP and Intercom systems and traditional microphone/speakers or amplifiers ■ Line and Mic in and out, relay output 1W speaker outat 8ohm ■ Codecs include PCM,AACplus MP3, OPUS, G.711, G.7 22 that can be streamed using HTTP and RTP ■ Five priority sources ■ Background music as well as VoIP applications. SynApps only	EACH	\$936.36	\$1030.00

	Product Code	Description	UOM	RRP Ex	RRP Inc
	BX-BAR20219350	BAR20219350 Paging Gateway M400 Smartphone integration Intercom and paging ■ Allows paging from mobile phones, computers or tabs on the local network ■ Web app allows single or zone paging ■ Multi-level message priority	EACH	\$1113.64	\$1225.00
	BX-BAR20229361V2	BAR20229361V2 Annunicom PS Touch 400 paging station IC Paging and Simple paging ■ High audio quality ■ High contrast capacitive ■ 10.1" touch screen ■ Robust metal case Haptic mechanical talk button ■ Works with Barix Simple Paging or IC Paging solution ■ PoE powered	EACH	\$4640.91	\$5105.00
	BX-BAR20229372	BAR20229372 Annunicom MPI400 network audio encoder/decoder with InformaCast ■ Audio over IP device gateway between IP Paging, VoIP and Intercom systems and traditional microphone/speakers or amplifiers ■ Line and Mic in and out, relay output 1W speaker output 8ohm ■ Codecs include PCM, AACplus MP3, OPUS, G.711, G.7 22 that can be streamed using HTTP and RTP ■ Five priority sources ■ Background music as well as VoIP applications. InformaCast enabled	EACH	\$1040.91	\$1145.00
	BX-BAR20239413	BAR20239413 Annunicom MPI400 network audio encoder/decoder with Dante ■ Audio over IP device gateway between IP Paging, VoIP and Intercom systems and traditional microphone/speakers or amplifiers ■ Line and Mic in and out, relay output 1W speaker output 8ohm ■ Codecs include PCM, AACplus MP3, OPUS, G.711, G.7 22 that can be streamed using HTTP and RTP ■ Five priority sources ■ Background music as well as VoIP applications. Dante enabled	EACH	\$1054.55	\$1160.00
	BX-BAR20239414	BAR20239414 Annunicom MPI400 network audio encoder/decoder with Dante and InformaCast ■ Audio over IP device gateway between IP Paging, VoIP and Intercom systems and traditional microphone/speakers or amplifiers ■ Line and Mic in and out, relay output 1W speaker output 8ohm ■ Codecs include PCM, AACplus MP3, OPUS, G.711, G.7 22 that can be streamed using HTTP and RTP ■ Five priority sources ■ Background music as well as VoIP applications. Dante and InformaCast enabled	EACH	\$1186.36	\$1305.00
	BX-BAR20259460	Annunicom 4000 Intercom paging device. 8 contact input 8 contact output	EACH	\$2054.55	\$2260.00
	BX-BAR20259463	Annunicom AHE YA404 analogue headend. VOIP, SIP Intercom and paging	EACH	\$4436.36	\$4880.00
	BX-BAR20259464	Annunicom AHE YA404 analogue headend Voip, SIP intercom and paging with InformaCast	EACH	\$4536.36	\$4990.00
	BX-BAR20259465	Annunicom AHE YA404 analogue headend, VOIP, SIP intercom and paging. With Dante	EACH	\$4486.36	\$4935.00
	BX-BAR20259466	Annunicom AHE YA404 Analogue headend, VOIP, SIP intercom paging. Informacast and Dante	EACH	\$4590.91	\$5050.00
BARIX ACCESSORIES					
	BX-BAR20069072	BAR20069072 DIN Mounting Bracket	EACH	\$41.82	\$46.00
	BX-BAR20079082	BAR20079082 19 inch rack mount	EACH	\$350.00	\$385.00
	BX-BAR20119114	BAR20119114 IPAM 102 evaluation kit	EACH	\$1122.73	\$1235.00
	BX-BAR20239376	BAR20239376 LX400 Flexa Broadcast Codec I/O ■ Support for OPUS, AACplus and PCM uncompressed transmission ■ End-to-end delay control (RTP) ■ Security (HTTPS) and data redundancy modes for uninterrupted broadcasting. ■ Power redundancy via 24 VDC and PoE ■ Works seamlessly with the RE FLECTOR EVO service for easy configuration and monitoring.	EACH	\$1745.45	\$1920.00

	Product Code	Description	UOM	RRP Ex	RRP Inc
	BX-BAR20239379	BAR20239379 IPAM403 OEM Module	EACH	\$304.09	\$334.00
	BX-BAR20239390	BAR2023930 IPAM404 OEM Module	EACH	\$325.45	\$358.00
BARIX INSTREAMER					
	BX-BAR20129125	BAR20129125 Instreamer Network audio encoder ■ MP3, G.711, G.722, PCM Encoding ■ Shoutcast/Icecast Sourcecapability ■ Audio Level Supervision with SNMP Trap generation ■ IP Streaming via TCP, UDP, RTP, Multicast ■ Line Level Input (Stereo) ■ RS-232 Serial Port ■ Supply Voltage 5VDC	EACH	\$981.82	\$1080.00
	BX-BAR20179220	BAR20179220 Audiopoint 3.0 Lip-Sync Encoder. Up to 50 clients	EACH	\$913.64	\$1005.00
	BX-BAR20189240	BAR20189240 Instreamer ICE Network audio encoder with Icecast server ■ MP3, AAC encoding ■ Integrated Icecast server for up to 10 0 simultaneous web radio users ■ Line level input (mono, stereo) ■ Supply voltage 5VDC	EACH	\$913.64	\$1005.00
	BX-BAR20239437	BAR20239437 Multicoder M400 Network audio encoder. Low latency ■ OPUS, AAC+, MP3, PCM and G.711 codec ■ 4 encoding engines(up to 10 targets per engine) ■ RTP and BRTP streaming protocol ■ Line level input (mono, stereo) ■ Supply voltage 5VDC	EACH	\$918.18	\$1010.00