

PRICE LIST

SOURCE • SUPPLY • SUPPORT

ambertech.com.au

	Product Code	Description	UOM	RRP Inc GST
BARIX ACCESSORIES				
	BX-BAR20069072	BAR20069072 DIN Mounting Bracket	EACH	\$36.00
	BX-BAR20079082	BAR20079082 19 inch rack mount	EACH	\$385.00*
	BX-BAR20119114	BAR20119114 IPAM 102 evaluation kit	EACH	\$1,235.00*
	BX-BAR20185032	BAR20185032 IPAM 400 evaluation kit	EACH	\$1,170.00*
	BX-BAR20239376	BAR20239376 LX400 Flexa Broadcast Codec I/O • Support for OPUS, AACplus and PCM uncompressed transmission • End-to-end delay control (RTP) • Security (HTTPS) and data redundancy modes for uninterrupted broadcasting. • Power redundancy via 24 VDC and PoE • Works seamlessly with the REFLECTOR EVO service for easy configuration and monitoring.	EACH	\$1,850.00*
BARIX ANNUNCIOM				
	BX-BAR20069064	Barix Annunicom 100 BAR20069064 Barix • Audio over IP device designed to serve as a gateway between IP Paging, VoIP and Intercom systems and traditional microphone/speakers or amplifiers • Supports music (MP3) as well as voice codecs (G.711, G.722*) and a large number of protocols including Shoutcast, SIP etc • Can be used for both background music as well as VoIP applications. • 2W output at 8ohm	EACH	\$1,075.00
	BX-BAR20089090	Barix Annunicom 200 With Poe BAR20089090 Barix • Audio over IP device designed to serve as a gateway between IP Paging, VoIP and Intercom systems and traditional microphone/speakers or amplifiers • Supports music (MP3) as well as voice codecs (G.711, G.722*) and a large number of protocols including Shoutcast, SIP etc • Can be used for both background music as well as VoIP applications. • 8W output at 8ohm	EACH	\$1,150.00
	BX-BAR20129117	BAR20129117 Annunicom microphone for PS1	EACH	\$100.00
	BX-BAR20129118	BAR20129118 Annunicom PS1 IP paging station • IP Streaming via TCP, UDP, RTP, Multicast • 2 Push to Talk buttons • Built in microphone or optional gooseneck microphone • Built in speaker	EACH	\$1,950.00
	BX-BAR20129120	Barix Annunicom 60 Poe BAR20129120 Barix • Audio over IP device designed to serve as a gateway between IP Paging, VoIP and Intercom systems and traditional microphone/speakers or amplifiers • Supports music (MP3) as well as voice codecs (G.711, G.722*) and a large number of protocols including Shoutcast, SIP etc • Can be used for both background music as well as VoIP applications. • 5W output at 8ohm • PoE	EACH	\$825.00
	BX-BAR20139136	BAR20139136 Annunicom 200 RAVA. Crestron enabled touch screens	EACH	\$920.00
	BX-BAR20219330	BAR20219330 Annunicom MPI400 network audio encoder/decoder with SynApps • Audio over IP device gateway between IP Paging, VoIP and Intercom systems and traditional microphone/speakers or amplifiers • Line and Mic in and out, relay output 1W speaker out at 8ohm • Codecs include PCM, AACplus MP3, OPUS, G.711, G.722 that can be streamed using HTTP and RTP • Five priority sources • Background music as well as VoIP applications. SynApps only	EACH	\$1,020.00*

	Product Code	Description	UOM	RRP Inc GST
	BX-BAR20219350	BAR20219350 Paging Gateway M400 Smartphone integration Intercom and paging • Allows paging from mobile phones, computers or tabs on the local network • Web app allows single or zone paging • Multi-level message priority	EACH	\$1,290.00
	BX-BAR20229361V2	BAR20229361V2 Annuncicom PS Touch 400 paging station IC Paging and Simple paging • High audio quality • High contrast capacitive • 10.1" touch screen • Robust metal case Haptic mechanical talk button • Works with Barix Simple Paging or IC Paging solution • PoE powered	EACH	\$4,815.00
	BX-BAR20229372	BAR20229372 Annuncicom MPI400 network audio encoder/decoder with InformaCast • Audio over IP device gateway between IP Paging, VoIP and Intercom systems and traditional microphone/speakers or amplifiers • Line and Mic in and out, relay output 1W speaker out at 8ohm • Codecs include PCM, AACplus MP3, OPUS, G.711, G.722 that can be streamed using HTTP and RTP • Five priority sources • Background music as well as VoIP applications. InformaCast enabled	EACH	\$1,145.00
	BX-BAR20239413	BAR20239413 Annuncicom MPI400 network audio encoder/decoder with Dante • Audio over IP device gateway between IP Paging, VoIP and Intercom systems and traditional microphone/speakers or amplifiers • Line and Mic in and out, relay output 1W speaker out at 8ohm • Codecs include PCM, AACplus MP3, OPUS, G.711, G.722 that can be streamed using HTTP and RTP • Five priority sources • Background music as well as VoIP applications. Dante enabled	EACH	\$1,160.00
	BX-BAR20239414	BAR20239413 Annuncicom MPI400 network audio encoder/decoder with Dante and InformaCast • Audio over IP device gateway between IP Paging, VoIP and Intercom systems and traditional microphone/speakers or amplifiers • Line and Mic in and out, relay output 1W speaker out at 8ohm • Codecs include PCM, AACplus MP3, OPUS, G.711, G.722 that can be streamed using HTTP and RTP • Five priority sources • Background music as well as VoIP applications. Dante and InformaCast enabled	EACH	\$1,330.00*

BARIX INSTREAMER

	BX-BAR20129125	BAR20129125 Instreamer Network audio encoder • MP3, G.711, G.722, PCM Encoding • Shoutcast/Icecast Source capability • Audio Level Supervision with SNMP Trap generation • IP Streaming via TCP, UDP, RTP, Multicast • Line Level Input (Stereo) • RS-232 Serial Port • Supply Voltage 5VDC	EACH	\$1,080.00
	BX-BAR20173135L	BAR20173135L Audiopoint 250 License upgrade to support 250 clients total	EACH	\$525.00*
	BX-BAR20179220	BAR20179220 Audiopoint 3.0 Lip-Sync Encoder. Up to 50 clients	EACH	\$965.00
	BX-BAR20189240	BAR20189240 Instreamer ICE Network audio encoder with Icecast server • MP3, AAC encoding • Integrated Icecast server for up to 100 simultaneous web radio users • Line level input (mono, stereo) • Supply voltage 5VDC	EACH	\$995.00
	BX-BAR20239437	BAR20239437 Multicoder M400 Network audio encoder. Low latency • OPUS, AAC+, MP3, PCM and G.711 codec • 4 encoding engines (up to 10 targets per engine) • RTP and BRTP streaming protocol • Line level input (mono, stereo) • Supply voltage 5VDC	EACH	\$990.00*

BARIX EXSTREAMER

	BX-BAR20069054	BAR20069054 Exstreamer Cable set audio	EACH	\$44.00
	BX-BAR20069056	BAR20069056 Exstreamer 100 Network audio decoder/streamer • AACplus, MP3, Ogg Vorbis, G.711, PCM Decoding • IP Streaming via HTTP, TCP, UDP, RTP, Multicast • Stereo Line Level Output • USB memory • RS-232 Serial Port • Supply Voltage 9-30VDC	EACH	\$740.00
	BX-BAR20079077	Barix Exstreamer 1000 BAR20079077 BARIX	EACH	\$1,849.00

	Product Code	Description	UOM	RRP Inc GST
	BX-BAR20089087	BAR20089087 Exstreamer 110 Network audio decoder/streamer USB, relay and display • AACplus, MP3, Ogg Vorbis, G.711, PCM Decoding • IP Streaming via HTTP, TCP, UDP, RTP, Multicast • Stereo Line Level Output • USB memory • Built in display and IR receiver • RS-232 Serial Port • Supply Voltage 9-30VDC	EACH	\$810.00
	BX-BAR20109096	BAR20109096 Exstreamer 500 Network audio encoder/decoder • Multiprotocol IP Audio de-/encoder with I/O • Balanced audio • Support of Internet Radio and VoIP (SIP, RTP) codecs and protocols • The ideal choice for broadcast, professional and VoIP applications.	EACH	\$1,945.00
	BX-BAR20109103	BAR20109103 Exstreamer 120 Network audio decoder/streamer SD card, relay and display • AACplus, MP3, Ogg Vorbis, G.711, PCM Decoding • IP Streaming via HTTP, TCP, UDP, RTP, Multicast • Stereo Line Level Output • microSD card memory • Built in display and IR receiver • RS-232 Serial Port • Supply Voltage 9-30VDC	EACH	\$810.00
	BX-BAR20119113	BAR20119113 Exstreamer 205 Network audio decoder/streamer 2x 25W output, local storage • AACplus, MP3, Ogg Vorbis, G.711, PCM Decoding • IP Streaming via TCP, UDP, RTP, Multicast • Amplified Output 2x25W 8Ohm • Stereo headphone mini jack • Digital Optical Out (S/PDIF) • RS-232 Serial Port • microSD Flash Memory Interface • IR Interface • Audio line-in • Supply Voltage 24 VDC	EACH	\$1,095.00
	BX-BAR20159183	BAR20159183 Soundscape IP network audio decoder microSD card, display	EACH	\$610.00
	BX-BAR20179224	BAR20179224 Retail Player S400 Streaming decoder IP Former hardware • Cloud management portal • 3 failover playback layers and Store & Play • 3.5mm TRS stereo line level output • 10/100 Mbps ethernet interface • 1x status led • 2x EXT connections to support external USB drives • Web interface for local configuration • Secure protocol transmission using TLS v1.2 • Ships with 32 GB of local storage • 5VDC powered	EACH	\$530.00
	BX-BAR20199260	BAR20199260 SIP Opus M400 Stereo Opus encoder/decoder • PoE powered bi-directional mono Opus codec • SIP link negotiation • Analog and USB audio I/O • Mic input and Loudspeaker output • G.711 and G.722 support	EACH	\$935.00
	BX-BAR20199266	BAR20199266 SIP Opus MA400 Mono bi-directional Opus encoder/decoder PoE • Stereo Opus encoding and decoding • SIP link negotiation Analog and USB audio I/O • G.711 and G.722 support	EACH	\$885.00*
	BX-BAR20199284	BAR20199284 Retail Player SP400 Streaming decoder IP Former hardware PoE • 6W output at 4 ohm • Cloud management portal • 3 failover playback layers and Store & Play • 3.5mm TRS stereo line level output • 10/100 Mbps ethernet interface • 1x status led • 2x EXT connections to support external USB drives • Web interface for local configuration • Secure protocol transmission using TLS v1.2 • Ships with 32 GB of local storage • PoE powered	EACH	\$500.00
	BX-BAR20209294	BAR20209294 Exstreamer M400 Streaming decoder SynApps RS232, stereo RCA output • Stereo Line Out on RCA Connectors • Singlewire certified • Multi-level message priority • AACplus, MP3, G.711, G.722 over RTP • SIP VoIP endpoint support • Storage of local audio files for triggered payout	EACH	\$645.00
	BX-BAR20209298	BAR20209298 Exstreamer M400 Streaming decoder InformaCast RS232, stereo RCA output • Stereo Line Out on RCA Connectors • Singlewire certified • Multi-level message priority • AACplus, MP3, G.711, G.722 over RTP • SIP VoIP endpoint support • Storage of local audio files for triggered payout	EACH	\$775.00
	BX-BAR20209299	IP Former TPA400 Flex Package SynApps only BAR20209299 • 6.5W RMS @ 4 Ohm Speaker Output • Plenum Rated per UL Standard 2043 • IEEE 802.3af PoE • Syn-App certified Singlewire certified • Multi-level message priority • AACplus, MP3, G.711, G.722 over RTP • SIP VoIP endpoint support • SynApps only	EACH	\$540.00
	BX-BAR20209301	IP FORMER TPA400 INFORMACAST & SYNAPPS BAR20209031 • 6.5W RMS @ 4 Ohm Speaker Output • Plenum Rated per UL Standard 2043 • IEEE 802.3af PoE • Syn-App certified Singlewire certified • Multi-level message priority • AACplus, MP3, G.711, G.722 over RTP • SIP VoIP endpoint support • InformaCast enabled	EACH	\$665.00
	BX-BAR20209314	BAR20209314 Retail Player TPA400 Streaming decoder IP Former hardware PoE • Cloud management portal • 3 failover playback layers and Store & Play • 3.5mm TRS stereo line level output • 10/100 Mbps ethernet interface • 1x status led • 2x EXT connections to support external USB drives • Web interface for local configuration • Secure protocol transmission using TLS v1.2 • Ships with 32 GB of local storage • PoE powered	EACH	\$540.00
	BX-BAR20209317	BAR20209317 Exstreamer MPA400 Streaming decoder SynApps 40W at 8ohm PoE • Up to 40W RMS @ 4Ohm Speaker Output • PoE IEEE 802.3af / 802.3at / 802.3bt type 1 and type 2 or external Power Supply 24VDC, 50W max. • Automatic Amplifier Setting according to input voltage and impedance detected • Singlewire certified • Multi-layer source priority management • SIP Client with SIPS, SRTP support • REST API to interface with 3rd party apps. • SynApps only	EACH	\$1,230.00

	Product Code	Description	UOM	RRP Inc GST
	BX-BAR20209317PS	BAR20209317PS Exstreamer MPA400 includes 24VDC power supply	EACH	\$1,300.00
	BX-BAR20209321	BAR20209321 Retail Player M400 Streaming decoder RS232 and RCA output • Cloud management portal • 3 failover playback layers and Store & Play • Stereo line level audio output • 2x status led 2x EXT connections to support external USB drives • Headphone output RS232 serial port • Web interface for local configuration • Secure protocol transmission using TLS v1.2 • Ships with 32 GB of local storage available	EACH	\$640.00*
	BX-BAR20209325	BAR20209325 Exstreamer MPA400 Streaming decoder InformaCast 40W at 8ohm PoE • Up to 40W RMS @ 40hm Speaker Output • PoE IEEE 802.3af / 802.3at / 802.3bt type 1 and type 2 or external Power Supply 24VDC, 50W max. • Automatic Amplifier Setting according to input voltage and impedance detected • Singlewire certified • Multi-layer source priority management • SIP Client with SIPS, SRTP support • REST API to interface with 3rd party apps. • InformaCast enabled	EACH	\$1,345.00
	BX-BAR20209325PS	BAR20209325PS Exstreamer MPA400 InformaCast includes supply 24VDC power	EACH	\$1,415.00
	BX-BAR20239401	BAR20239401 IP Former TPA400 Streaming decoder Dante 6W at 4ohm PoE • 6.5W RMS @ 4 Ohm Speaker Output • Plenum Rated per UL Standard 2043 • IEEE 802.3af PoE • Syn-App certified Singlewire certified • Multi-level message priority • AACplus, MP3, G.711, G.722 over RTP • SIP VoIP endpoint support • Dante enabled	EACH	\$640.00
	BX-BAR20239402	BAR20239402 IP Former TPA400 Streaming decoder Dante and InformaCast 6W at 8ohm PoE • 6.5W RMS @ 4 Ohm Speaker Output • Plenum Rated per UL Standard 2043 • IEEE 802.3af PoE • Syn-App certified Singlewire certified • Multi-level message priority • AACplus, MP3, G.711, G.722 over RTP • SIP VoIP endpoint support • Dante and InformaCast enabled	EACH	\$725.00*
	BX-BAR20239406	BAR20239406 Exstreamer M400 Streaming decoder Dante RS232, stereo RCA output • Stereo Line Out on RCA Connectors • Singlewire certified • Multi-level message priority • AACplus, MP3, G.711, G.722 over RTP • SIP VoIP endpoint support • Storage of local audio files for triggered payout	EACH	\$740.00
	BX-BAR20239410	BAR20239410 Exstreamer M400 Streaming decoder Dante and Informacast, RS232, RCA output • Stereo Line Out on RCA Connectors • Singlewire certified • Multi-level message priority • AACplus, MP3, G.711, G.722 over RTP • SIP VoIP endpoint support • Storage of local audio files for triggered payout	EACH	\$965.00
	BX-BAR20239411	BAR20239411 Exstreamer MPA400 Streaming decoder Dante 40W at 8ohm PoE • Up to 40W RMS @ 40hm Speaker Output • PoE IEEE 802.3af / 802.3at / 802.3bt type 1 and type 2 or external Power Supply 24VDC, 50W max. • Automatic Amplifier Setting according to input voltage and impedance detected • Singlewire certified • Multi-layer source priority management • SIP Client with SIPS, SRTP support • REST API to interface with 3rd party apps. • Dante enabled	EACH	\$1,305.00
	BX-BAR20239411PS	BAR20239411PS Exstreamer MPA400 DANTE Package Pwr Supply Included	EACH	\$1,375.00
	BX-BAR20239412	BAR20239412 Exstreamer MPA400 Streaming decoder Dante and InformaCast 40W at 8ohm PoE • Up to 40W RMS @ 40hm Speaker Output • PoE IEEE 802.3af / 802.3at / 802.3bt type 1 and type 2 or external Power Supply 24VDC, 50W max. • Automatic Amplifier Setting according to input voltage and impedance detected • Singlewire certified • Multi-layer source priority management • SIP Client with SIPS, SRTP support • REST API to interface with 3rd party apps. • Dante and InformaCast enabled	EACH	\$1,360.00
	BX-BAR20239412PS	Exstreamer MPA400 POE Dante Package with Informacast. Pwr Supply Included	EACH	\$1,525.00
	BX-BAR20239418	BAR20239418 Exstreamer MR400 Streaming decoder RS232 and RCA output, 1 relay output • 3.5mm Line Out • BTL (Bridge Tied Load) 1W on 8 ohm audio out • NO/NC relay output (30V 0.5A) • Low consumption powered with 24VDC • Singlewire certified Multi-level message priority • AACplus, MP3, G.711, G.722 over RTP • SIP VoIP endpoint support • Storage of local audio files for triggered payout	EACH	\$845.00

BARIX BARIONET

	BX-BAR20039014	BAR20039014 Barionet 100 programmable I/O device server with web server • 2 relay outputs, 4 analogue inputs, 4 digital inputs and 4 digital outputs • RS232 and RS485	EACH	\$855.00
--	--------------------------------	---	------	----------

	Product Code	Description	UOM	RRP Inc GST
	BX-BAR20049044	BAR20049044 Barionet X8 I/O to RS-485 Modbus converter 8 input to 8 output	EACH	\$216.00*
	BX-BAR20059048	BAR20059048 Barionet IO12 I/O control unit 12 input to 12 output	EACH	\$745.00*
	BX-BAR20089091	BAR20089091 Barionet 50 programmable I/O device server with web server • 4 relay outputs and 4 contact closure inputs • RS232 and RS485	EACH	\$675.00
	BX-BAR20189257	BAR20189257 Barionet 400 programmable I/O device server with web server • 4 relay outputs and 4 digital inputs • 10/100 Ethernet port • programmable via C++, Lua or Python script	EACH	\$715.00
	BX-BAR20229371	BAR20229371 Barionet M44 programmable Linux I/O Device Server • 4 relay outputs and 4 analogue/digital inputs • 10/100 Ethernet port • RS232 interface • USB host interface • programmable via C++, Lua or Python script	EACH	\$725.00
	BX-BAR20239425	BAR20239425 Barionet UX8 USB connected and powered I/O Extension 8 input to 8 output • Suits IPAM based Barionet devices • Connects automatically to barionet M series devices • USB powered and connected	EACH	\$540.00