








PRICE LIST







SOURCE • SUPPLY • SUPPORT






ambertech.com.au

| Product Code | Description | UOM | RRP Inc GST |
|--------------|-------------|-----|-------------|
|--------------|-------------|-----|-------------|






WYRESTORM EXTENDERS

| | | | | |
|--|--------------------------------|---|------|-------------|
|  | WY-EX100G2 | EX-100-G2 HDMI Extender Set 4K60 100M . 2 way POH CEC,IR,RS-232, HDBT Extends 4K@60Hz (4:2:0) HDMI up to 100m over a single Cat cable. Features bi-directional PoC, IR, RS-232, and EDID support. Plug-and-play, ideal for home, corporate, or education. Supports multichannel audio, CEC pass-through, and easy installation | EACH | \$839.00 |
|  | WY-EX100H2 | EX-100-H2 HDMI Extender Set 4KUHD 100M . 4:2:0 60Hz HDBT 1 Way POH ,USB2.0 ,Audio,RS232 Professional HDMI extender set delivering uncompressed 4K UHD with HDR up to 100m via Cat6a/7 cable. Supports HDCP 2.2, IR, RS-232, and PoH for reliable long-distance AV distribution in commercial installs. | EACH | \$1,369.00 |
|  | WY-EX100IWUSBC | EX-100-IW-USB-C USB-C Extender Set .Single gang In-wall . HDBT3 In-wall USB-C extender set transmitting video, audio, data, and power up to 100m over HDBaseT. Perfect for modern meeting spaces and collaboration environments requiring streamlined USB-C connectivity. | EACH | \$1,129.00 |
|  | WY-EX100KVMIP | EX-100-KVM-IP IP Extender Set 4K60 100M ,KVM,1Gbe, Zero latency ,USB 2.0 . IP-based extender set supporting HDMI, USB, and KVM functionality over standard Gigabit networks. Enables flexible point-to-point or matrix configurations with 4K UHD support for enterprise-grade AV systems. | EACH | \$959.00 |
|  | WY-EX100USB3 | EX-100-USB3 USB Extender Set 100M .5Ggpps. USB 3.2 Gen 1 . POH+ to power USB3.0 cameras USB 3.0 extender set providing reliable extension of high-speed USB peripherals up to 100m. Ideal for video conferencing, interactive displays, and workstations requiring stable USB performance. | EACH | \$999.00 |
|  | WY-EX3100EARC | EX3-100-EARC HDMI Extender Set.4K60 100M. HDBT3 . eARC, Dolby Vision, HDR, POH,RS232 Next-gen HDMI extender with eARC support, delivering uncompressed 4K HDR video, audio, and Ethernet up to 100m over Cat6a/7. Optimized for home cinema and professional AV systems needing audio return. | EACH | \$1,499.00 |
|  | WY-EX35H2-V2 | Wyrestorm EX-35-H2 Compact HDMI extender set supporting 4K HDR signals up to 35m via Cat6/7 cable. HDCP 2.2 compliant with IR and PoH, ideal for classrooms, huddle rooms, and small commercial AV installations. | EACH | \$739.00 |
|  | WY-EX35H2ARC | Wyrestorm Ex-35-H2-Arc EX35H2ARC Wyrestorm HDMI extender set with ARC audio return channel, transmitting 4K HDR video and audio up to 35m. Provides flexible audio routing and reliable video extension for residential and commercial AV setups. | EACH | \$909.00 |
|  | WY-EX40G3 | EX-40-G3 HDMI Extender Set 1080P 40M. IR & POC Third-generation HDMI extender set supporting 4K UHD up to 40m with HDCP 2.2, IR, and PoH. Compact and cost-effective solution for smaller rooms, classrooms, and AV signage applications. | EACH | \$179.00 |
|  | WY-EX40H2ARC | EX-40-H2-ARC 4K60 Extender Set 4K:40M ,1080P:70M,RS232,2way IR ,Dolby Vision & HDR,ARC,PoH | EACH | \$859.00 |
|  | WY-EX40KVM5K | EX-40-KVM-5K KVM Extender Kit for HDMI & USB. 4K60 40M USB2.0 to 350 Mbps, HDBT3.0 | EACH | \$1,449.00* |


| | Product Code | Description | UOM | RRP Inc GST |
|--|-------------------------------|---|------|-------------|
|  | WY-EX60USB2 | EX-60-USB2 USB2.0 Extender Set 60M. 480Mbps , POC Tx-Rx 1 x USB Host and USB-A ports | EACH | \$219.00 |
|  | WY-EX70G2 | Wyrestorm Ex-70-G2 Extender EX70G2 Wyrestorm Second-generation HDMI extender set delivering 4K UHD with HDR up to 70m. Includes PoH, IR, and RS-232 control, designed for professional AV environments needing robust signal extension. | EACH | \$439.00 |
|  | WY-EX70H2 | Wyrestorm Ex-70-H2 Extender EX70H2 Wyrestorm High-performance HDMI extender supporting 4K HDR content up to 70m over Cat6/7 cable. Includes IR, RS-232, and PoH, making it suitable for corporate, education, and digital signage deployments. | EACH | \$999.00 |
|  | WY-EX70H2C | EX-70-H2C HDMI Extender Set HDMI 2.0 4K60 4:4:4 ,70M,ARC loop out,IR pass,EDID,PoC | EACH | \$369.00 |
|  | WY-EX80KVM | EX-80-KVM KVM Extender Set 1080P 80m.USB 2.0 and POC HDMI and USB KVM extender set supporting 4K UHD video, audio, and peripheral control up to 80m. Designed for interactive workspaces, classrooms, and control rooms requiring AV and USB extension. | EACH | \$439.00* |
|  | WY-EXA100EARC | EXA-100-eARC Audio Extender HDMI 2.0 ,eARC,ARC ,IR, RS-232 & CEC passthrough . 100m WyreStorm EXA-100-eARC is an eARC/ARC audio extractor and extender over HDBaseT, transmitting HDMI audio up to 100m via Cat6a. Supports uncompressed formats including Dolby Atmos, TrueHD, DTS-HD MA, and 2/5.1/7.1 PCM. Features HDMI loop-out, optical and analog outputs, CEC pass-through, and robust integration for home cinema and pro AV systems. | EACH | \$439.00 |
|  | WY-EXF300H2 | Wyrestorm EXF-300-H2 HDMI over OM3 Multi-Mode Fiber Fiber HDMI extender set delivering uncompressed 4K HDR video and audio up to 300m over multimode fiber. Immune to interference, making it ideal for mission-critical AV installations and large venues. | EACH | \$1,519.00* |
|  | WY-RX3100 | RX3-100 HDBT3.0 Receiver 4K 100m . POH USB2.0, CEC RS-232, pass. Audio de-embed High-performance HDBaseT 3.0 receiver supporting uncompressed 4K UHD video, multichannel audio, Ethernet, control, and power over a single Cat6a/7 cable up to 100m, ideal for professional AV installations. | EACH | \$1,249.00 |
|  | WY-RX35POH | RX-35-POH HDBT Receiver 4K 35m . 1080P 70m POH,RS-232 Bidirectional IR Compact HDBaseT receiver delivering 4K UHD video, audio, Ethernet, and control with PoH support over a single Cat6/7 cable up to 35m. Cost-effective solution for smaller meeting rooms and classrooms. | EACH | \$559.00 |
|  | WY-RX500 | RX-500 HDBT Receiver 4K 35m 1080P 70m. 1way POH USB2.0, Audio de-embed,RS232 Versatile HDBaseT receiver supporting 4K HDR video, multichannel audio, Ethernet, RS-232, and IR control up to 70m. Designed for mid-range commercial and residential AV distribution projects. | EACH | \$879.00* |
|  | WY-RX700 | RX-700 4K HDR 4:4:4 HDBaseT 2.0 Receiver with USB inputs Ethernet & PoH 4K: 100m | EACH | \$1,159.00 |
|  | WY-RX704K | Wyrestorm Rx-70-4K Hdbaset RX704K Wyrestorm Reliable HDBaseT receiver providing 4K UHD video, audio, Ethernet, IR, and RS-232 control up to 70m via Cat6/7 cable. A dependable solution for corporate, hospitality, and education environments. | EACH | \$679.00* |
|  | WY-RX70PPLP | Wyrestorm Low Profile RX70PPLP Wyrestorm | EACH | \$349.00 |





| | Product Code | Description | UOM | RRP Inc GST |
|--|------------------------------|--|------|-------------|
|  | WY-RXV354K | RXV-35-4K HDBT Receiver 4K 35m 1080P 70m. 1way POH IR, RS-232, & CEC routing HDBaseT receiver with 4K video support, Ethernet, bidirectional IR, RS-232, and PoH, extending signals up to 35m. Sleek, compact design perfect for meeting rooms and small-scale AV setups. | EACH | \$299.00* |
|  | WY-RXV35SCL | RXV-35-SCL HDBaseT Scaling Receiver , 4K600 4:4:4,PoH Audio de-embed,IR & RS232 pass | EACH | \$419.00 |
|  | WY-RXV704KG2 | RXV-70-4K-G2 HDBT Receiver 4K 70m 1080P 100m.1way POH IR, RS-232, & CEC routing Second-generation HDBaseT receiver with 4K UHD video, Ethernet, PoH, RS-232, and IR support over 70m. Enhanced reliability for professional-grade AV signal extension in business and education spaces. | EACH | \$609.00* |
|  | WY-TX35IW | TX-35-IW In-Wall HDBT Transmitter. 4K 35m 1080P 70m 1 way POH. 1-Gang US Style In-wall HDBaseT transmitter supporting HDMI input with 4K UHD extension up to 35m. Sleek wall-plate design for classrooms and huddle spaces, ensuring reliable signal transmission and easy use. | EACH | \$459.00 |
|  | WY-TX704K | 4K Hdcp2.2 Hdbaset Tx With Poh TX704K WyreStorm | EACH | \$909.00 |

WYRESTORM SWITCHES









| | | | | |
|--|--------------------------------|---|------|-------------|
|  | WY-EXPSW02018K | EXP-SW-0201-8K HDMI Switcher 8K 2x1.Audio De-embed,ARC ,EDID management ,RS-232 Our plug-and-play 8K HDMI switcher series has the ability to send uncompressed up to 8K@60Hz or 4K@120Hz resolutions to your display. These switchers also support DSC 1.2a pass-through, an approved method of compression in accordance to the HDMI 2.1 specification, allowing up to a 10K@120Hz signal to be transmitted losslessly. | EACH | \$519.00 |
|  | WY-EXPSW04018K | EXP-SW-0401-8K HDMI Switcher 8K 4x1.Audio De-embed,ARC ,EDID management ,RS-232 Our plug-and-play 8K HDMI switcher series has the ability to send uncompressed up to 8K@60Hz or 4K@120Hz resolutions to your display. These switchers also support DSC 1.2a pass-through, an approved method of compression in accordance to the HDMI 2.1 specification, allowing up to a 10K@120Hz signal to be transmitted losslessly. | EACH | \$619.00* |
|  | WY-EXPSW0401H2 | EXP-SW-0401-H2 HDMI Switcher 4K 4x1.Auto switching capable Powerful plug-and-play 4K switcher solution. With up to 18Gbps pure HDMI support, which allows up to four 4K HDR sources to be routed to a single display. The EXP-SW-0401-H2 is capable of auto switching, giving the user the convenience of simply turning on their favorite device without the requiring manual intervention. | EACH | \$219.00 |
|  | WY-SW0204VW | SW-0204-VW Video Wall Processor .4K 2X4 1X4 and 2x2 layout.Web GUI & RS232 control HDMI video wall processor supporting up to 4 displays with flexible configurations. Supports 4K input, HDCP 2.2, and multiple layouts, ideal for signage, control rooms, and presentation spaces. | EACH | \$1,979.00* |
|  | WY-SW0206VW | SW-0206-VW HDMI Video Wall Processor .4K 2X6. Customized layout.Web GUI & RS232 control Versatile HDMI video wall controller supporting up to 6 displays with 4K input, HDCP 2.2, and customizable layouts. Designed for retail, corporate, and event applications needing dynamic visuals. | EACH | \$3,419.00 |














WYRESTORM SPLITTERS












| | | | | |
|--|-------------------------------|--|------|----------|
|  | WY-EXSP01028K | EXP-SP-0102-8K HDMI Splitter 8K 1x2 .Audio De-embed,ARC ,EDID management . powerful plug-and-play 8K HDMI splitter that has the ability to send uncompressed up to 8K@60Hz or 4K@120Hz up to two displays, but the most useful feature of this splitter is that the second output can scale content down from either 8K>4K or 4K>1080p! | EACH | \$519.00 |
|--|-------------------------------|--|------|----------|

| | Product Code | Description | UOM | RRP Inc GST |
|--|---------------------------------|--|------|-------------|
|  | WY-SP0102H2EXP | EXP-SP-0102-H2 HDMI Splitter 4K 1:2 with Scalling 2-way HDMI splitter supporting 4K HDR content, HDCP 2.2, and multi-channel audio. Delivers one HDMI source to two displays simultaneously with reliable signal integrity for AV distribution needs. | EACH | \$169.00 |
|  | WY-SP01044H2EXP | EXP-SP-0104-H2 HDMI Splitter 4K 1:4 with Scalling 4-way HDMI splitter supporting 4K HDR video, HDCP 2.2, and multi-channel audio. Perfect for distributing one HDMI source to up to four displays without signal loss, ideal for signage and AV installs. | EACH | \$199.00* |
|  | WY-SP0104H2 | Wyrestorm Sp-0104-H2 Splitter SP0104H2 Wyrestorm High-quality HDMI splitter distributing one source to four displays in 4K UHD with HDCP 2.2 compliance. Reliable performance for commercial installations, retail, and digital signage applications. | EACH | \$349.00 |
|  | WY-SP0108SCL | SP-0108-SCL HDMI Splitter 4K 1:8 with Scalling config EDID audio de-embed 8-way HDMI splitter with 4K HDR support, built-in scaling for mixed display resolutions, and HDCP 2.2. Ensures compatibility across displays, making it ideal for retail, hospitality, and education. | EACH | \$859.00 |


WYRESTORM AV OVER IP


| | | | | |
|--|--------------------------------|---|------|-------------|
|  | WY-NHD000RACK4 | Fits 100/400/500/600 Tx And Rx NHD000RACK4 Wyrestorm | EACH | \$729.00 |
|  | WY-NHD0401MV | NHD-0401-MV Multiview Switcher 4K .Standalone or NHD 400/500 series systems The NHD-0401-MV is a powerful multiview switcher that can be used as a standalone solution or with a NetworkHD 400 or 500 series system. The switcher comes pre-loaded with six different multiview layouts offering unique viewing experiences with support for all the latest 4K HDR content with zero compression. | EACH | \$1,789.00* |
|  | WY-NHD110RX | NetworkHD 110 series replaced by WY-NHD110RXv2 compatible with 100/200 series | EACH | \$999.00 |
|  | WY-NHD110TX | NetworkHD series H.264/H.265 encoder compatible with 100/200 series | EACH | \$1,019.00 |
|  | WY-NHD120IWTX | NHD-120-IW-TX In-Wall Encoder 4K30 2-gang ,PoE, H.264/H.265 audio De-embed. IR TX .AES | EACH | \$1,299.00 |
|  | WY-NHD120RX | NHD-120-RX AVoIP Decoder 4K30 . PoE,H.265/H.264 analogue audio de-embed.AES The NHD-120-RX supports 4K content that ensures compatibility with the HDMI v1.4 HDCP 2.2 video, while a built-in scaler ensures hassle-free mixing of the latest 4K displays and 1080p screens within an installation.The NetworkHD 120 series support AES 128-bit AV encryption over the network.Create captivating large format video walls (16x16). Allows for Mosaic video walls.NHD Touch app compatible | EACH | \$1,169.00 |
|  | WY-NHD120TX | NHD-120-TX AVoIP Encoder 4K30 . PoE,H.265/H.264 analogue audio de-embed.AES The NHD-120-TX supports 4K content that ensures compatibility with the HDMI v1.4 HDCP 2.2 video, while a built-in scaler ensures hassle-free mixing of the latest 4K displays and 1080p screens within an installation.The NetworkHD 120 series support AES 128-bit AV encryption over the network.Create captivating large format video walls (16x16). Allows for Mosaic video walls. NHD Touch app compatible. | EACH | \$1,169.00 |
|  | WY-NHD124TX | NHD-124-TX AVoIP Quad Encoder 4K30 . H.265/H.264 Space Saving .AES encryption The NHD-124-TX is a 4 input to 4 network stream device encoder compatible with the NetworkHD 100 series.The NHD-124-TX is now supporting 4K content that ensures compatibility with the HDMI v1.4 HDCP 2.2 video source.NHD Touch app compatible | EACH | \$4,009.00* |

| Product Code | Description | UOM | RRP Inc GST |
|---|---|------|-------------|
|  WY-NHD128NDITRX | 4K NDI-NHD Gateway 8 X NDI to NHD.1 X NHD to NDI H.264/H.265 .PoE. Web UI.API | EACH | \$1,249.00* |
|  WY-NHD140RACK | 1U Rack Mount For Nhd-140-Tx NHD140RACK Wyrestorm | EACH | \$299.00* |
|  WY-NHD150RX | NHD-150-RX Multiview Decoder 4K60 .H.265/H.264 The NHD-150-RX is an enhanced MultiView display decoder compatible with the NetworkHD 120 Series, an ultra-low bandwidth AV over IP solution for distribution of point-to-point, one-to-many and many-to-many over a managed network. The NHD-150-RX decoder is intended for use with 120 Series encoders . NHD Touch app compatible. | EACH | \$3,279.00* |
|  WY-NHD200TX | Wyrestorm NHD-200-TX 200 Series AV over IP H.264 Encoder | EACH | \$1,249.00 |
|  WY-NHD210RX | Wyrestorm NHD-210-RX 200 Series AV over IP H.264 Decoder with Video Wall Processing | EACH | \$999.00* |
|  WY-NHD300TX | Wyrestorm NHD-300-TX 1080p HD H.264 Open Standards Streaming Encoder | EACH | \$1,519.00* |
|  WY-NHD400ERX | NHD-400-E-RX AVoIP Decoder 4K60 . JPEG 2000 . E series WyreStorm brings stunning 4K HDR video, video resolution scaling, multi-channel audio and audio matrixing to IP with the NetworkHD 400 Series' NHD-400-E-RX AVoIP decoder. The reduced cost Type E version removes some control ports but retains the 400 Series core features.NHD Touch app compatible | EACH | \$1,199.00* |
|  WY-NHD400ETX | NHD-400-E-TX AVoIP Encoder 4K60 . JPEG 2000 . E series WyreStorm brings stunning 4K HDR video, video resolution scaling, multi-channel audio and audio matrixing to IP with the NetworkHD 400 Series' NHD-400-E-TX AVoIP encoder. The reduced cost Type E version removes some control ports but retains the 400 Series core features.NHD Touch app compatible | EACH | \$1,199.00 |
|  WY-NHD400TX | Wyrestorm Nhd-400-Tx NHD400TX 400 Series 4K AV over IP JPEG 2000 Encoder | EACH | \$1,439.00* |
|  WY-NHD500DNTTX | NHD-500-DNT-TX AVoIP Encoder 4K60 . JPEG 2000 . 2CH Dante & AES67 output. Ethernet & Fibre Capable of encoding up to 4K60 including Dolby Vision, HDR10 and HLG content. The 500 series comes loaded with a number of advanced features such as the flexibility of Ethernet or Fiber as a transport method. Ultra-low latency encoding and incredibly fast matrix switching speeds enhance the experience. Unique to this encoder is an integrated 2 channel Dante & AES67 audio output. | EACH | \$2,269.00* |
|  WY-NHD500ERX | NHD-500-E-RX AVoIP Decoder 4K60 . JPEG 2000 .E series.PoE audio de-embed The NHD-500-E encoder and decoder enhance the NetworkHD 500 series by providing an economical 4K60 solution. The "E" variations remove many of the I/O found on the standard encoder and decoder and retain only the core functionalities that suite most applications. Dante AV-A ready | EACH | \$1,399.00 |
|  WY-NHD500ETX | NHD-500-E-TX AVoIP Encoder 4K60 . JPEG 2000 .E series.PoE audio de-embed The NHD-500-E encoder and decoder enhance the NetworkHD 500 series by providing an economical 4K60 solution. The "E" variations remove many of the I/O found on the standard encoder and decoder and retain only the core functionalities that suite most applications. Dante AV-A ready | EACH | \$1,399.00 |
|  WY-NHD500IWTX | NHD-500-IW-TX In-Wall Encoder 4K60 . JPEG 2000 .PoE. HDMI USB-C inputs This 2-gang in-wall 500 series encoder features HDMI and USB-C switching inputs suited for connecting today's modern laptops and tablets. Perfect for education or corporate, install this encoder in a wall, table, desk, podium or anywhere a remote input is needed. Integrated USB extension allows laptops to connect to peripheral components such as conference cameras, smartboards/touchscreens etc. | EACH | \$2,739.00 |







| Product Code | Description | UOM | RRP Inc GST |
|---|---|------|-------------|
|  WY-NHD500IWTXV2 | NHD-500-IW-TX v2 In-wall Encoder .4K60.JPEG 2000.PoE. HDMI USB-C inputs .Dante AV-A | EACH | \$2,619.00 |
|  WY-NHD500RX | 4K60Hz Decoder . 1GbE .Dolby & HDR.PoE.USB 2.0.Audio De-embed Fiber. ARC.IR & RS232 | EACH | \$1,939.00 |
|  WY-NHD500RXV2 | NHD-500-RX-V2 AVoIP Drecoder 4K60 . JPEG 2000 .PoE. 4xUSB audio de-embed.ARC.Video walls The NetworkHD 500s series is an HDMI 2.0 AV over IP solution. Capable of encoding up to 4K60 including Dolby Vision, HDR10 and HLG content. The 500 series comes loaded with a number of advanced features such as the flexibility of Ethernet or Fiber as a transport method. Ultra-low latency encoding and incredibly fast matrix switching speeds enhance the experience.Dante AV-A ready | EACH | \$1,939.00 |
|  WY-NHD500TXV2 | NHD-500-TX-V2 AVoIP Encoder 4K60 .JPEG 2000 .PoE. USB Host audio de-embed.ARC.Video walls The NetworkHD 500s series is an HDMI 2.0 AV over IP solution. Capable of encoding up to 4K60 including Dolby Vision, HDR10 and HLG content. The 500 series comes loaded with a number of advanced features such as the flexibility of Ethernet or Fiber as a transport method. Ultra-low latency encoding and incredibly fast matrix switching speeds enhance the experience.Dante AV-A ready | EACH | \$1,939.00 |
|  WY-NHD510TX | NHD-510-TX AVoIP Encoder 4K60 .JPEG 2000 .PoE.HDMI & USB-C In.USB Host.Audio-dembed Integrating HDMI and USB-C inputs for unparalleled connectivity, Enhanced with Dante AV-A support for superior audio over IP, HDMI loop-out for local display connectivity, and advanced audio switching capabilities, it stands as an essential component for any high-definition setup.HDR10 and Dolby Vision support, minimal latency, and the ability to connect up to 7 USB devices simultaneously. | EACH | \$2,489.00* |
|  WY-NHD600RX | Wyrestorm Nhd 600 Rx NHD600RX Wyrestorm | EACH | \$3,069.00 |
|  WY-NHD600TRX | NHD-600-TRX transceiver The NHD-600-TRX is a transceiver capable of lossless latency-free 4K60 over a 10GbE network. The TRX allows you to transmit and receive A/V simultaneous through a single device or be programmed to act as a dedicated TX or RX. 3x USB HID ports allow extension for keyboard and mouse applications . Capable of high-bitrate multichannel audio passthrough, including Dolby Atmos™ and DTS:X | EACH | \$2,759.00 |
|  WY-NHD600TRXF | NHD-600-TRXF Fibre Transceiver 4K60 444 10 GbE SDVoE.PoE+ Video Wall & Multiview .3xUSB NHD-600-TRXF is a SDVoE fiber transceiver , lossless, latency-free 4K60 over a 10Gb network. Transmit and receive A/V simultaneous through a single device or can act as a dedicated TX or RX. SFP+ connector supports up to 300m transmission distance. 3x High-Speed USB 2.0 ports allow extension for keyboard mouse applications and even compatibility with webcams, touchscreens, and media storage. | EACH | \$2,879.00* |
|  WY-NHDCTLPROV2 | NHD-CTL-PRO-V2 NHD controller Pro Controller for NHD 110/120,400,500 and 600 series The NHD-CTL-PRO is the new brain for NetworkHD and reimagines how a system should operate. We've designed the NHD-CTL-PRO from the ground up to provide an innovative cutting-edge experience. The all-new unified setup environment allows all configurations to be made from one user interface. This includes adjusting IP address, naming endpoints, creating video walls, firmware updates and much more. | EACH | \$1,399.00 |
|  WY-NHDRACK1U | NHD-RACK-1U 1U/2 Rack Mount for NetworkHD 110/120/500/600 and CTLPRO | EACH | \$139.00* |
|  WY-NHDRACK4BLK | Blanking Plate For Rack4 NHDRACK4BLK Wyrestorm | EACH | \$59.00 |

WYRESTORM ESSENTIALS





| | | | |
|--|---|------|--------|
|  WY-EXPMX0404KIT | 4K UHD 4x4 HDBaseT Matrix Sw 3 HDBT, 1 HDMI 4K: 35m, 1080p: 70m | EACH | P.O.A. |
|--|---|------|--------|




| | Product Code | Description | UOM | RRP Inc GST |
|--|---------------------------------|---|------|-------------|
|  | WY-EXPMX0808KIT | 4K UHD 8x8 HDBase Matrix Sw 6 HDBT, 2 HDMI 4K: 35m 1080p: 70m | EACH | P.O.A. |

WYRESTORM ACCESSORIES


| | | | | |
|--|-------------------------------|---|------|----------|
|  | WY-APODGHDMI | APO-DG-HDMI HDMI & USB-A to USB-C Adaptor. For DG1/DG2 The APO-DG-HDMI expands your connectivity options by enabling the HDMI output of your laptop to work seamlessly with our USB-C Casting Dongles (APO-DG1 and APO-DG2). This enhancement allows for greater device compatibility across both the Synergy and Apollo product lines | EACH | \$129.00 |
|  | WY-PSU12V1A | PSU-12V-1A 12V 1A PSU | EACH | \$69.00 |
|  | WY-PSU12V2A | PSU-12V-2A 12V 2A PSU | EACH | \$69.00 |
|  | WY-PSU18V1A | PSU-18V-1A 18V 1A PSU | EACH | \$69.00 |
|  | WY-PSU20V6AWP | PSU-20V-6A-WP Power Supply 20 Volt 6 Amp power supply for SW-120-TX#-US/UK & NHD-500-IW | EACH | \$149.00 |
|  | WY-REM0404 | Wyrestorm Mx-0404Xx REM0404 Wyrestorm | EACH | \$49.00* |






WYRESTORM CONTROL

| | | | | |
|--|------------------------------|--|------|-------------|
|  | WY-COMP1LIC | COMP-1LIC Software Licence 1 Tablet Companion Control works seamlessly with NetworkHD hardware and the NetworkHD Touch app. Companion adds the ability to control source devices by leveraging already existing hardware and the NetworkHD API. The app offers an incredibly quick and intuitive experience driven by a wizard-guided setup. Works with common source devices such as DirecTV, SKY, Apple TV, Roku and more. | EACH | \$1,449.00* |
|  | WY-COMP3LIC | COMP-3LIC Software License 3 Tablets Companion Control works seamlessly with NetworkHD hardware and the NetworkHD Touch app. Companion adds the ability to control source devices by leveraging already existing hardware and the NetworkHD API. The app offers an incredibly quick and intuitive experience driven by a wizard-guided setup. Works with common source devices such as DirecTV, SKY, Apple TV, Roku and more. | EACH | \$1,829.00* |
|  | WY-COMP6LIC | COMP-6LIC Software License 6 Tablets Companion Control works seamlessly with NetworkHD hardware and the NetworkHD Touch app. Companion adds the ability to control source devices by leveraging already existing hardware and the NetworkHD API. The app offers an incredibly quick and intuitive experience driven by a wizard-guided setup. Works with common source devices such as DirecTV, SKY, Apple TV, Roku and more. | EACH | \$2,369.00* |
|  | WY-SYNCTLHUB | SYN-CTL-HUB Protocol Converter IP to RS-232, Relay & IR protocols Protocol conversion hub enabling communication between third-party control systems and WyreStorm devices. Provides reliable RS-232, IR, and IP integration for seamless system interoperability. | EACH | \$399.00 |






| Product Code | Description | UOM | RRP Inc GST |
|--|---|------|-------------|
|  WY-SYNKEY10 | SYN-KEY10 Keypad Controller 10 button. IP or RS-232 1 Gang US Decora .Web UI 10-button wall-mount keypad controller supporting RS-232, IR, and IP commands. Customizable buttons for easy control of AV devices, ideal for meeting rooms, classrooms, and conference spaces. | EACH | \$839.00 |
|  WY-SYNTOUCH10V2 | 10.1" All-in-one Touchpad controller PoE+ table top and Wall mount | EACH | \$2,149.00 |
|  WY-TS280 | 2.8In Colour Touchscreen Ctrl TS280 Wyrestorm Compact 2.8-inch touchscreen with customizable interface, supporting IP and RS-232 control. EU wall-mount design with PoE power, ideal for small meeting spaces and simple AV system operation. | EACH | \$729.00* |

WYRESTORM CABLES


| | | | |
|---|---|------|-------------|
|  WY-CABHAOC10 | Wyrestorm 10M Optical Hdm CABHAOC10 Wyrestorm | EACH | \$219.00 |
| WY-CABHAOC15 | Wyrestorm 15M Optical Hdm CABHAOC15 Wyrestorm | EACH | \$269.00 |
|  WY-CABHAOC15C | CAB-HAOC-15-C HDMI Cable 24Gbps active optical cable. 4K HDR, CPR approved 15M Black Detachable Head | EACH | \$489.00 |
| WY-CABHAOC20 | 18Gbps Optical Hdm Cable 20M CABHAOC20 Wyrestorm | EACH | \$309.00 |
| WY-CABHAOC20C | CAB-HAOC-20-C HDMI Cable 24Gbps active optical cable. 4K HDR,CPR approved 20M Black | EACH | \$549.00 |
| WY-CABHAOC30C | CAB-HAOC-30-C HDMI Cable 24Gbps active optical cable. 4K HDR,CPR approved 30M Black | EACH | \$689.00 |
|  WY-CABHAOC40C | CAB-HAOC-40-C HDMI Cable 24Gbps active optical cable. 4K HDR,CPR approved 40M Black WyreStorm EX-60-USB2 extends 4K60 4:4:4 HDMI, USB 2.0 (up to 350Mbps), IR, and RS-232 up to 100m via HDBaseT over Cat6a. Features HDCP 2.2, HDR support, bidirectional USB for KVM/webcam, and CEC passthrough. Ideal for conferencing, control, and high-bandwidth USB peripheral extension with ultra-low latency performance. | EACH | \$839.00 |
| WY-CABHAOC50C | CAB-HAOC-50-C HDMI Cable 24Gbps active optical cable. 4K HDR,CPR approved 50M Black | EACH | \$909.00 |
| WY-CABHAOCFRL10 | CAB-HAOC-FRL-10 HDMI Cable 48Gbps active optical cable 8K 4:4:4 10M Black | EACH | \$249.00 |
| WY-CABHAOCFRL15 | CAB-HAOC-FRL-15 HDMI Cable 48Gbps active optical cable 8K 4:4:4 15M Black | EACH | \$309.00 |
|  WY-CABIRLINK | CAB-IR-LINK IR Cable | EACH | \$39.00 |
|  WY-CABUAOC15 | CAB-UAOC-15-C USB Cable active optical extension cable USB 3.2 Gen 2 10Gbps 15M Black | EACH | \$469.00 |
|  WY-CABUAOCUSBC10 | CAB-UAOC-USBC-10 USB-C to C Active Optical Cable Adaptive 2/4 lane WyreStorm CAB-UAOC-USBC-10 is a 10m USB-C to USB-C active optical cable with dual MCU architecture for adaptive 2- or 4-lane operation. It supports up to 20Gbps data, 8K video, and 60W power delivery. Built for AV, conferencing, and broadcast, it features Kevlar reinforcement, EMI/RFI resistance, and plug-and-play reliability. | EACH | \$679.00 |
|  WY-CABUSBC15 | CAB-USBC-15 USB-C cable 5 Gbps USB-C to USB-C active optical cable. 15M Black | EACH | \$1,019.00* |
|  WY-EXP4KUHD05 | EXP-4KUHD-0.5 HDMI Cable 18 Gbps 4K60 0.5m Ultra-HDMI cable 0.5m length, supporting 4K HDR, HDCP 2.2, and high-bandwidth video/audio. Compact design ensures reliable connections for AV systems where space is limited. | EACH | \$49.00 |














| Product Code | Description | UOM | RRP Inc GST |
|--|---|------|-------------|
| WY-EXP4KUHD1 | EXP-4KUHD-1.0 HDMI Cable 18 Gbps 4K60 1m | EACH | \$59.00 |
| WY-EXP4KUHD2 | EXP-4KUHD-2.0 HDMI Cable 18 Gbps 4K60 2m | EACH | \$69.00 |
| WY-EXP4KUHD3 | EXP-4KUHD-3.0 HDMI Cable 18 Gbps 4K60 3m | EACH | \$79.00 |
| WY-EXP4KUHD5 | EXP-4KUHD-5.0 HDMI Cable 18 Gbps 4K60 5m | EACH | \$129.00 |
|  WY-EXP8KUHD05 | 0.5m HDMI 2.1 cbl 48Gbps 8K60 UHS certified,Dolby vision,HDR eARC,CEC,ALLM,VRR,QMS,QFT | EACH | \$49.00* |
|  WY-EXP8KUHD1 | 1.0m HDMI 2.1 cbl 48Gbps 8K60 UHS certified,Dolby vision,HDR eARC,CEC,ALLM,VRR,QMS,QFT | EACH | \$59.00* |
| WY-EXP8KUHD2 | 2M HDMI 2.1 cable 48Gps 8K60Hz, dolby vision, HDR UHS certified | EACH | \$59.00* |
| WY-EXP8KUHD3 | 3M HDMI 2.1 cable 48 Gps 8K60Hz, dolby vision ,HDR UHS certified | EACH | \$79.00* |
|  WY-EXPCABUSBC1M | EXP-CAB-USBC-1M USB-C Cable 20 Gbps 1m. Supports Alt-mode 1m USB-C cable supporting high-speed data, video, audio, and power delivery. Reliable and durable design suitable for laptops, docking stations, and AV integration systems. | EACH | \$39.00 |
| WY-EXPCABUSBC2M | EXP-CAB-USBC-2M USB-C Cable 20 Gbps 2m. Supports Alt-mode | EACH | \$49.00 |
|  WY-EXPCABUSBC5M | EXP-CAB-USBC-5M USB-C Cable 10 Gbps 5m. Supports Alt-mode 5m active USB-C cable supporting high-speed data, video, and power delivery. Ideal for AV systems needing extended reach without compromising signal quality. | EACH | \$179.00* |
| WY-EXPHDMI5M8K | 5 metre 8K60 48Gbps HDMI 2.1 cable | EACH | \$119.00 |
|  WY-HAOHEAD | HAOC-HEAD HDMI Head Replacement detachable head for Active Optical Cables | EACH | \$59.00* |














WYRESTORM OFFICE


| | | | |
|--|--|------|-----------|
|  WY-FOCUS210 | FOCUS 210 Webcam 4K Ultra HD .Wide Angle 4K ultra HD AI webcam with 120° wide angle, auto framing, presenter tracking, 8x digital zoom, dual AI noise-cancelling mics and App control, ideal for small and medium-sized meeting rooms. | EACH | \$229.00 |
|  WY-HALO30 | True Full-Duplex USB/Bluetooth Conference Speakerphone Professional USB conference speakerphone with 4x noise-cancelling mic, 360° audio pickup, and full-duplex audio, ideal for home office or group meeting of 2 to 4 people. | EACH | \$159.00 |
|  WY-HALO60 | True Full-Duplex USB/Bluetooth Conference Speakerphone | EACH | \$219.00 |
|  WY-HALOCOMMIC | HALO-COM-MIC Add-on Microphone for HALO-VX10-V2 Add-on microphone for use with the HALO-VX10-V2 video bar. Connect this mic to expand the pickup range. Connects to the VX10 via an included USB cable. The HALO-COM-MIC can be cascaded up to 3 times. Microphone Includes AEC, background noise reduction, automatic gain control to make all participants feel like they are in the same room. Pick up range is 3 – 5 meters | EACH | \$249.00* |
|  WY-HALOVX10V2 | HALO-VX10-V2 Video Soundbar 4K Camera,120° FOV,audio out auto frame ,presenter tracking Now Zoom certified, hold a smooth and productive video conference with the HALO VX10 v2 video bar. It integrates a 4K wide-angle AI camera, dual powerful stereo speaker and a beamforming four-microphone array into one device, offering you extraordinary audio and video experience. | EACH | \$939.00 |

WYRESTORM UNIFIED COMMS




| | | | |
|---|---|------|-------------|
|  WY-AMP260DNT | AMP-260-DNT Network Amplifier 2 X 50W or 4 X 25W @ 4/8 ohms Dual PWR opt. DSP with Dante AMP-260-DNT is a cutting-edge two or four channel network amplifier designed to cater to the advanced audiovisual needs of professional environments such as medium to large meeting rooms and university lecture halls. This robust amplifier integrates both local line-level and Dante audio inputs, ensuring flexible connectivity and superior audio distribution tailored to the acoustics of the space | EACH | \$1,369.00* |
|---|---|------|-------------|

| | Product Code | Description | UOM | RRP Inc GST |
|--|----------------------------------|---|------|-------------|
|  | WY-APO210UC | APO-210-UC Speakerphone with video passthrough and Display Link Technology The APO-210 adds a HDBaseT output in addition to the HDMI out to support dual-screen meeting spaces. | EACH | \$2,129.00 |
|  | WY-APOCOMMIC | APO-COM-MIC USB Microphone .Companion for APO-VX20-UC Add-On microphone for use with the Apollo VX20 video bar. Connect this mic to expand the pickup range in your meeting spaces. Connects to the VX20 via an included USB cable. The APO-COM-MIC can be cascaded up to 3 times. For longer extension requirements the APO-MIC-EXT ethernet extender can be used. | EACH | \$639.00* |
|  | WY-APODG1 | APO-DG1 USB-C Dongle . Wireless casting .1080P The APO-DG1 is a USB-C 1080p casting dongle compatible with a number of WyreStorm solutions including Apollo series and the SW-220-TX-W presentation switchers. Simply pair this dongle with a compatible Apollo or presentation product. The DG1 uses a single USB-C connection to power the dongle and transmit video | EACH | \$369.00* |
|  | WY-APODG2 | APO-DG2 USB-C Dongle Wireless casting and USB data transfer . 4K30Hz The APO-DG2 is a USB-C 4K30 casting dongle compatible with a number of WyreStorm solutions including the SW-640L-TX-W presentation switcher. The DG2 uses a single USB-C connection to power the dongle and transmit video. | EACH | \$509.00 |
|  | WY-APODGDOCK | APO-DG-DOCK Docking Station For APO-DG1,APO-DG2 and APO-DG-HDMI | EACH | \$99.00 |
|  | WY-APOMICEXT | APO-MIC-EXT USB mini to Ethernet Extender. For APO-MIC-HUB Mini-USB to Ethernet extender for APO-COM-MIC, enabling up to 60m point-to-point extension over Cat6. Includes 2x USB and 2x RJ-45 ports. Designed for Apollo VX20 conferencing systems. Plug-and-play, ideal for expanding mic coverage in meeting rooms | EACH | \$219.00 |
|  | WY-APOSKYMIC | APO-SKY-MIC Ceiling Microphone Companion , RJ45 | EACH | \$619.00* |
|  | WY-APOVX20MNT | APO-VX20-MNT Display Mount for APO-VX-20-UC Display Mount for use with the Apollo VX20 video bar. Use the mount with your existing display bracket to mount the video bar above or below the display. | EACH | \$249.00* |
|  | WY-APOVX20UC | APO-VX20-UC Video Soundbar 4K.Video Switcher,Speakerphone and camera in one device The VX20 is part of the family of Unified Communication Apollo solutions. The VX20 is a premium conference video bar that integrates a video switcher, speakerphone, and camera into one device. Ready for today's demanding and versatile meeting spaces, the VX20 comes feature packed with HDMI & USB-C local inputs along with the ability to wireless casting from Airplay and Miracast capable devices. | EACH | \$2,569.00 |
|  | WY-APOVX20UCV2 | APO-VX20-UC v2 Video Soundbar 4k.VideoSwitcher.Speakerphone and camera in one device | EACH | \$2,929.00 |
|  | WY-CAM0402BRG | CAM-0402-BRG 4K Camera Bridge 4 X wired inputs(2 HDMI,2 USB) HDMI/USB output | EACH | \$1,889.00* |
|  | WY-CAM0402NDIBRG | CAM-0402-NDI-BRG 4K Camera Bridge & Mixer,4Xwired inputs 4XNDI Inputs,HDMI/USB/NDI out | EACH | \$2,229.00* |
|  | WY-CAM420PTZ | CAM-420-PTZ 4K AI PTZ Camera Dual Lens,4K30,3X Optical zoom USB,HDM,NDI out, tracking mode | EACH | \$1,619.00* |








| | Product Code | Description | UOM | RRP Inc GST |
|--|--------------------------------|--|------|-------------|
|  | WY-COMMICHUB | COM-MIC-HUB Microphone Hub and mixer . AEC & AGC & ANR Web UI | EACH | \$659.00* |
|  | WY-IDB300 | IDB-300 Dual Channel Cable Box USB-C,HDMI+ USB-A, retractable Cable management bag WyreStorm IDB-300 is a 3-gang in-desk multi-format input plate with HDMI, DisplayPort, and USB-C connectivity. Supports 4K60 4:4:4 with HDCP 2.2, USB-C PD up to 60W, and auto-switching. Features device charging, CEC control, RS-232, and seamless integration with WyreStorm presentation switchers and extenders for BYOD collaboration spaces. | EACH | \$439.00* |
|  | WY-IDB300BTN | IDB-300-BTN In-Desk cable Box Retractable USB-C & HDMI + USB Touch buttons,cable management he IDB-300-BTN is a premium tabletop connectivity solution designed for modern meeting spaces, conference rooms, and hybrid work environments. Featuring dual input channels (USB-C and HDMI+USB), this compact device allows users to seamlessly switch between sources with a simple touch of a button. | EACH | \$639.00* |
|  | WY-MX0402MST | MX0402-MST Conference Switcher 4K 4x2.Dual USB-C & Dual HDMI .USB3.2 ports ethernet The MX-0402-MST Conference Presentation Switcher is the ultimate solution for modern conference rooms. Designed to simplify and enhance your presentation experience, this 4x2 switcher integrates video, audio, USB, control, and Ethernet functionalities. With dual USB-C and dual HDMI inputs, automatic switching capabilities, and advanced USB 3.2 ports | EACH | \$2,859.00 |
|  | WY-MX0403H3MST | MX-0403-H3-MST Conference Room Switcher .4K 4X3 HDMI & USB-C matrix | EACH | \$3,149.00 |
|  | WY-SW120TX3 | SW-120-TX3 HDBT3.0 Transmitter 4K 100m ,USB-C & HDMI in,POH USB2.0,RS232 passthrough Professional HDBaseT 3.0 transmitter delivering uncompressed 4K UHD, audio, Ethernet, USB, and control up to 100m via Cat6a/7. Ideal for UC spaces and demanding AV environments requiring full bandwidth. | EACH | \$1,249.00 |
|  | WY-SW120TX3UK | SW-120-TX3-UK HDBT3.0 In-Wall Transmitter.4K 100m, USB-C & HDMI,USB2.0, RS232 passthrough UK in-wall HDBaseT 3.0 transmitter delivering uncompressed 4K UHD video, audio, Ethernet, and control up to 100m over Cat6a/7. Perfect for modern meeting and learning spaces. | EACH | \$1,299.00 |
|  | WY-SW130TXUK | SW-130-TX-UK HDBT In-Wall Transmitter. 4K 100m,2xHDMI 1xUSB-C with USB Host .2-Gang Compact UK in-wall HDBaseT transmitter for HDMI and VGA inputs. Extends 4K UHD video, audio, Ethernet, and control up to 70m. Streamlined design for classrooms, meeting rooms, and lecture halls. | EACH | \$979.00 |
|  | WY-SW130TXUS | SW-130-TX-US 3 input wall plat 2 HDMI, USB-C with USB host & CEC trigger 2-gang 4K: 100m | EACH | \$1,279.00* |
|  | WY-SW220TXW | SW-220-TX-W Presentation Switcher .HDMI & USB-C In Wireless Casting Wireless-ready presentation switcher transmitter with HDMI and USB-C inputs, extending 4K UHD video, audio, and control over HDBaseT. Designed for collaboration in corporate and education settings. | EACH | \$1,129.00 |
|  | WY-SW510TX | 4-Input 4K UHD Switching HDBaseT TX with USB /device & ethernet SW-510-TX | EACH | \$1,999.00* |
|  | WY-SW515RX | SW-515-RX HDBT Switching Receiver .4K 100m . USB Host device ports HDBaseT receiver with built-in auto-switching, USB 2.0 support, Ethernet, and control. Handles HDMI and USB-C inputs for seamless collaboration. Ideal for BYOD conferencing and presentation spaces. | EACH | \$1,719.00* |
|  | WY-SW620TXW | SW-620-TX-W Conference Switcher . USB-C MST,100W PD 2 HDMI out, Wireless casting | EACH | \$2,049.00 |




| Product Code | Description | UOM | RRP Inc GST |
|---|--|------|-------------|
|  WY-SW640LTXW | SW-640L-TX-W Conference Switcher . 2xUSB-C 2xHDMI Wireless casting. USB3.0 Conference-grade transmitter with USB-C, HDMI, and DisplayPort inputs. Extends 4K UHD video, audio, USB, and control via HDBaseT. Designed for modern collaboration, conferencing, and UC environments. | EACH | \$3,129.00 |

WYRESTORM CONVERTERS

| | | | |
|---|--|------|----------|
|  WY-CONH2EDID | Hdmi EDID Manager .no alt Auto/Manual CEC, Relay trigger Audio de-embed CON-H2-EDID | EACH | \$469.00 |
|  WY-EXPCONAUDH2 | EXP-CON-AUD-H2 Audio Extractor Analogue & Digital HDMI audio extractor supporting 4K HDR video passthrough with HDMI, optical, and analog audio outputs. Enables flexible audio integration for AV systems in corporate, residential, and signage setups. | EACH | \$289.00 |
|  WY-EXPCONH2DD | In-line HDMI scaler with Audio Breakout and Dolby & DTS Downmix , EXP-CON-H2-DD | EACH | \$539.00 |

WYRESTORM MATRIXES

| | | | |
|--|--|------|--------------|
|  WY-EXPMX0402H2 | EXP-MX-0402-H2 HDMI Matrix 4K 4x2 .Audio De-embed , ARC CEC triggering and scalling Keeping up with the latest standards, the EXP-MX-0402-H2 has been upgraded to an 18Gbps backbone with HDCP 2.2 compliance and now featuring a powerful built-in auto scaler on both of its outputs allowing users to simultaneously connect a mix of 4K and 1080p displays. The EXP-MX-0402-H2 also includes analog and digital audio de-embed and ARC, as well as CEC triggering and RS-232 control. | EACH | \$389.00 |
|  WY-MX0404HDMI | MX-0404-HDMI HDMI Matrix 4K 4x4 ,Scalling outputs audio de-embed via S/PDIF MX-0404-HDMI is a powerful plug and play matrix switcher, bundled in a small compact chassis. An 18Gbps matrix switcher, it allows up to four 4K sources to be independently routed to four displays. Each output has the capability to scale 4K content down to connected 1080p displays without affecting 4K sources. Audio following the output can be extracted via the digital 5.1 S/PDIF | EACH | \$1,009.00 |
|  WY-MX0404KIT | MX-0404-KIT HDBT Matrix 4K 4x4 ,3 X HDBT 1 X HDMI audio de-embed via S/PDIF Offering transmission of HDMI content up to 4K UHD & HDR content to 35m/115ft, pairing HDBaseT with WyreStorm's powerful crosspoint HDMI switching chipset. The MX-0404-KIT has 3 HDBaseT zone outputs with PoH and a single switched HDMI output which can be paired with WyreStorm's HAOC hybrid optical HDMI cables or any extender for transmission via HDBaseT or OM3 fiber | EACH | \$2,909.00 |
|  WY-MX0804EDC | MX-0804-EDC Matrix 4K 8x4, 7xHDMI & 1xUSB-C In 4x HDMI out , DSP,4x4 Dante. The MX-0804-EDC, a compact 1RU 8x4 fast switching matrix designed to redefine connectivity in professional environments. Perfect for high-education classrooms and corporate meeting rooms, this cutting-edge matrix brings seamless transitions, versatile audio options, and intuitive control at your fingertips. | EACH | \$9,119.00* |
|  WY-MX0808H2AMK2 | MX-0808-H2A-MK2 HDMI Matrix 4K 8x8 ,Video Scaler, ARC audio de-embed via S/PDIF he MX-0808-H2A-MK2 is a welcome refresh to the powerful line of H2A pure HDMI switchers. The MK2 is familiar on the surface but has a host of improvements and added features. To start, the HDMI outputs now feature 4K > 1080p downscalers promoting easier integration of mixed resolution displays into a single system. The HDMI outputs also now support Audio Return Channel . | EACH | \$3,869.00* |
|  WY-MX0808KITV2 | MX-0808-KIT-V2 HDBT Matrix 4K 8x8 includes 8 RX units audio de-embed via S/PDIF The MX-0808-KIT v2 gets a make over, sharing many of the same powerful features of version 1, but with a vision of life commercial installations in mind. Offering the same transmissions of 4K UHD up to 35m/115ft, but now up to 8 HDBaseT outputs with included receivers. Additionally, version 2 is equipped with 4 mirrored outputs | EACH | \$6,499.00 |
|  WY-MX1007HYB | MX-1007-HYB Matrix 4K 10x7, 7xHDMI , USB-C,HDBT , 100W amp,Dante Audio,NetworkHD Advanced 10x7 Seamless Matrix Switch for Presentation systems with USB-C, HDMI, HDBT, Dante Audio, and NetworkHD Connectivity Plus 100W amplifier with DSP.Featuring seamless 4K60Hz switching for crystal-clear visuals and uninterrupted enjoyment. | EACH | \$16,449.00* |

| Product Code | Description | UOM | RRP Inc GST |
|---|---|------|-------------|
|  WY-MXV0404H2AKIT | <p>MXV-0404-H2A-KIT HDBT Matrix 4K 4x4 inc. 4 X HDBT RX units .Audio out : S/PDIF & analogue MXV-0404-H2A can handle 4K/60 4:4:4 and high framerate HDR. With audio functionality to match its video capability, the MXV 4x4 has the ability to extract audio signals from either source devices or from the HDBaseT™ output, following the zone via either digital(5.1Ch) or analogue(2Ch). 2x receivers in the MXV kit use the RXV-35-SCL scaling receiver. Perfect for mixed resolution displays.</p> | EACH | \$5,969.00* |
|  WY-MXV0808H2A70 | <p>MXV-0808-H2A-70-v3 HDBT Matrix 4K 70m 8x8 audio de-embed via S/PDIF Transmission of 18Gbps HDMI content up to 70m/230ft by pairing Class A HDBaseT with WyreStorm's lossless compression algorithm. 8 Class A HDBaseT zone outputs & 4 mirrored HDMI outputs..The MXV 8x8 can extract audio signals from either source devices or from the output, following the zone. Flexible control options – front panel ,remote control, local IR, RS-232, Telnet or WebUI. EDID management.</p> | EACH | \$9,899.00* |
|  WY-MXV0808H2AKIT | <p>MXV-0808-H2A-KIT HDBT Matrix 8x8 4K60 4:4:4. 6 standard and 2 scaling RX's. Audio De-embed WyreStorm MXV-0808-H2A-KIT offers 8x8 HDMI 2.0 switching with 18Gbps bandwidth, 4K/60 4:4:4, HDR10, Dolby Vision, HDCP 2.2. Includes 2 scaling + 6 standard HDBaseT receivers. Features ARC, multi-channel audio breakout, CEC, IR, IP & RS-232 control for advanced multi-zone AV.</p> | EACH | \$9,369.00* |